AUTHOR INDEX

(D) Denotes Demonstration, (T) Title only, (C) Communication, (PC) Poster Communication

AARONSON P.I., BENHAM C.D., BOLTON T.B., HESS P., LANG R.J. & TSIEN R.W. Two types of single-channel and whole-cell calcium or barium currents in single smooth muscle cells of rabbit ear artery and the effects of noradrenaline. (C) 36*P*

ABBOTT N. Joan & BUTT A.M. Permeability of the dogfish glial blood–brain barrier to ions and small molecules. (C) 103*P*

ABBOTT N. Joan, BLEAKMAN D. & SHORT Susan Glucose transport across the glial blood–brain barrier of the cuttlefish *Sepia*. (C) 104*P*

ABBOUD Francois M., AYLWARD Philip E., FLORAS John S. & GUPTA Badri N. Sensitization of aortic and cardiac baroreceptors by arginine vasopressin in mammals. 251

ALLEN D.G., ELLIOTT A.C. & SMITH G.L. Intracellular acidosis on increasing the frequency of stimulation in isolated ferret hearts is partly attributable to increased lactic acid production. (C) 113*P*

ALLEN Francesca Gap junctional communication during neuromuscular junction formation in *Xenopus* cultures. (C) 77*P*

AMASSIAN V.E. & CRACCO R.Q. Cerebral cortical responses to contralateral transcranial stimulation in humans. (C) 25*P*

ANWYL Roger, LEE Wai-Ling & ROWAN Michael 4-Aminopyridine increases long-term potentiation of excitatory post-synaptic transmission in the rat hippocampal slice. (C) 29*P*

APATU R.S.K. & BARNES R.J. Glucose and lactate metabolism by fetal, new-born and adult sheep livers *in vivo*. (C) 125*P*

ARENDT J. & BROADWAY J. Phase response of human melatonin rhythms to bright light in Antarctica. (C) 68*P*

ASCHER P. & NOWAK Linda Calcium permeability of the channels activated by *N*-methyl-D-aspartate (NMDA) in isolated mouse central neurones. (C) 35*P*

ASHCROFT Frances M., KAKEI M. & KELLY R. Rubidium acts as a permeant blocker of the glucose and ATP-sensitive K-channel in rat pancreatic beta-cells. (C) 38*P*

ASHMORE J.F. & BROWNELL W.E. Kilohertz movements induced by electrical stimulation in outer hair cells isolated from the guinea-pig cochlea. (C) 41*P*

AYAD V.J., FRY J.P., MARTIN I.L. & RICKETS C. Immunochemical evidence for an endogenous benzodiazepine receptor ligand in the brain of the mouse. (C) 32*P*

AYLWARD Philip E. *see* ABBOUD Francois M., AYLWARD Philip E., FLORAS John S. & GUPTA Badri N. Sensitization of aortic and cardiac baroreceptors by arginine vasopressin in mammals. 251

BAGNI M.A., CECCHI G., COLOMO F. & TESI C. The sarcomere length-tension relation in short length-clamped segments of frog single muscle fibres. (C) 91*P*

BAKER G.F. & SHUKLA Hasmeeta Do cystic fibrotic nasal cells have an abnormal frusemide-sensitive transport pathway? (C) 86*P*

BAMFORD O.S., DAWES G.S. & WARD R.A. Effects of apomorphine and haloperidol in fetal lambs. 37

BANNISTER R., DA COSTA D.F., FORSTER S., FOSBRAEY P. & MATHIAS C.J. Cardiovascular effects of lipid and protein meals in autonomic failure. (C) 62*P*

BARKER J.L. & OWEN D.G. Cadmium- and TTX-insensitive transient inward current in cultured mouse spinal motoneurones. (C) 82*P*

BARKER J.L., HARRISON N.L., LANGE G.D., MAJEWSKA M.D. & OWEN D.G. Voltage-clamp studies of the potentiation of GABA-activated chloride conductance by the steroid anaesthetic alphaxalone and a reduced metabolite of progesterone in cultured rat C.N.S. neurones. (C) 83*P*

BARNES G.R. & DONNELLY S. The predictability of a visual pursuit stimulus in man is dependent on the highest frequency component of target movement. (C) 46*P*

BARNES R.J. *see* APATU R.S.K. & BARNES R.J. Glucose and lactate metabolism by fetal, new-born and adult sheep livers *in vivo*. (C) 125*P*

BARSOTTI R.J. & FERENCZI M.A. Laser-flash photolysis of caged-ATP induces rapid contraction and relaxation in isolated cardiac muscle fibres of the guiea-pig. (C) 116*P*

BASHIR Z.I. & HOLMES O. Enchancement by penicillin of cortical potentials evoked by direct stimulation in rats. (C) 20*P*

BAYLOR S.M., HOLLINGWORTH S., HUI C.S. & QUINTA-FERREIRA M.E. Properties of the metallochromic dyes Arsenazo III, Antipyrylazo III and Azo1 in frog skeletal muscle fibres at rest. 89

BEKKERS J.M., GREEFF N.G. & KEYNES R.D. The conductance and density of sodium channels in the cut-open squid giant axon. 463

BELIN Vincent & MOOS Françoise Paired recording from supraoptic and paraventricular oxytocin cells in suckled rats: recruitment and synchronization. 369

BENHAM C.D. *see* AARONSON P.I., BENHAM C.D., BOLTON T.B., HESS P., LANG R.J. & TSIEN R.W. Two types of single-channel and whole-cell calcium or barium currents in single smooth muscle cells of rabbit ear artery and the effects of noradrenaline. (C) 36*P*

BENNETT T., GARDINER S.M. & WINN M.J. The influence of β-adrenoceptor antagonism on B.P. following administration of prazosin and idazoxan to conscious, Long Evans rats. (C) 60*P*

BENNETT T. & GARDINER S.M. Differential regional vascular effects of pressor agents in conscious Long Evans rats. (C) 61*P*

BEVAN S., CHAD J.E., HOLLOWOOD F.S. & WISE J.C.M. A system to provide control of stimulation and acquisition of ionic currents in cell membranes. (D) 7*P*

BIGLAND-RITCHIE B., FURBUSH F. & WOODS J.J. Neuromuscular transmission and muscle activation in human post-fatigue ischaemia. (C) 76*P*

BILLING A.E., FRY J.F. & READ G.L. Changes in sensitivity to diazepam during the oestrous cycle in the mouse. (C) 70*P*

BISCOE T.J., DUCHEN M.R. & PATTERSON L. Voltage-clamp study of acutely dissociated mouse spinal neurones. (D) 10*P*

BLEAKMAN D. *see* ABBOTT N. Joan, BLEAKMAN D. & SHORT Susan Glucose transport across the glial blood–brain barrier of the cuttlefish *Sepia*. (C) 104*P*

BLISS T.V.P., DOUGLAS R.M., ERRINGTON M.L. & LYNCH M.A. Correlation between long-term potentiation and release of endogenous amino acids from dentate gyrus of anaesthetized rats. 391

BOBBERT M.F., BRAND C., DE HAAN A., HULJING P.A., VAN INGEN-SCHENAU G.J., RIJNSBURGER W.H. & WOITTIEZ R.D. Series-elasticity of teninous structures of rat EDL muscle. (C) 89*P*

BOBBERT M.F., BRAND C., HULJING P.A., VAN INGEN SCHENAU G.J. & WOITTIEZ R.D. Modelling of mechanical output of human muscles during explosive movements. (C) 110*P*

BOLTON T.B. *see* AARONSON P.I., BENHAM C.D., BOLTON T.B., HESS P., LANG R.J. & TSIEN R.W. Two types of single-channel and whole-cell calcium or barium currents in single smooth muscle cells of rabbit ear artery and the effects of noradrenaline. (C) 36*P*

BOUNTRA C., KAILA K. & VAUGHAN-JONES R.D. A Ca-antagonist inhibits the intracellular acidification observed during stimulation of isolated sheep cardiac Purkinje fibres. (C) 114*P*

BOYD C.A.R. & SHENNAN D.B. Human placental sulphate transport: studies on chorionic trophoblast brush border membrane vesicles. 15

BRAND C. *see* BOBBERT M.F., BRAND C., DE HAAN A., HULJING P.A., VAN INGEN-SCHENAU G.J., RIJNSBURGER W.H. & WOITTIEZ R.D. Series-elasticity of teninous structures of rat EDL muscle. (C) 89*P*

BRAND C. *see* BOBBERT M.F., BRAND C., HULJING P.A., VAN INGEN SCHENAU G.J. & WOITTIEZ R.D. Modelling of mechanical output of human muscles during explosive movements. (C) 110*P*

BRENTON D.P., BREWSTER Fay, CRAIG Geraldine, GARDINER R.M., GARROD P. & HASELER M.E. Transport of L-phenylalanine and related amino acids at the blood–brain barrier in the lamb studied by the single-pass multiple tracer dilution technique. (C) 102*P*

BREWSTER Fay *see* BRENTON D.P., BREWSTER Fay, CRAIG Geraldine, GARDINER R.M., GARROD P. & HASELER M.E. Transport of L-phenylalanine and related amino acids at the blood–brain barrier in the lamb studied by the single-pass multiple tracer dilution technique. (C) 102*P*

BROADWAY J. *see* ARENDT J. & BROADWAY J. Phase response of human melatonin rhythms to bright light in Antarctica. (C) 68*P*

BROMLEY J.M., HUMPHREYS G.W., JAVADNIA A., RIDDOCH M.J. & RUDDOCK K.H. Pattern discrimination in the human subject suffering visual agnosia. (C) 67*P*

BROOKES S.J.H., EWART W.R. & WINGATE D.L. Intracellular recordings from human myenteric plexus neurones. (C) 27*P*

BROOKS S., BURRIN Jackie, CHEETHAM Mary E., HALL G., WILLIAMS C. & YEO T. The β-endorphin response to brief maximal exercise in man. (C) 106*P*

BROWNELL W.E. *see* ASHMORE J.F. & BROWNELL W.E. Kilohertz movements induced by electrical stimulation in outer hair cells isolated from the guinea-pig cochlea. (C) 41*P*

BROWN H.F., DIFRANCESCO D. & TROMBA C. Recording of single i_f channels in isolated rabbit sino-atrial node cells. (C) 111*P*

BROWNLEE A.A., LEE G., MILLS Ivor H., SPINELLI F. & WAKABAYASHI Y. Stimulation of kallikrein excretion by infusion of atrial natriuretic peptide (ANP) in rats: correlation with urine flow, sodium and potassium excretion. (C) 52*P*

BURRIN Jackie *see* BROOKS S., BURRIN Jackie, CHEETHAM Mary E., HALL G., WILLIAMS C. & YEO T. The β-endorphin response to brief maximal exercise in man. (C) 106*P*

BUTLER-BROWNE G.S., CAMBON N., LAURENT C., PRULIÈRE G., TOUTANT M., WATKINS S. & WHALEN R.G. Control of myosin isoenzyme transitions by thyroid hormone in the dwarf mouse strain. (C) 93*P*

BUTT A.M. *see* ABBOTT N. Joan & BUTT A.M. Permeability of the dogfish glial blood–brain barrier to ions and small molecules. (C) 103*P*

BYRNE N.G. & LARGE W.A. Membrane responses to noradrenaline in dispersed single smooth muscle cells of the guinea-pig pulmonary artery studied with patch-pipette techniques. (C) 37*P*

CAMBON N. *see* BUTLER-BROWNE G.S., CAMBON N., LAURENT C., PRULIÈRE G., TOUTANT M., WATKINS S. & WHALEN R.G. Control of myosin isoenzyme transitions by thyroid hormone in the dwarf mouse strain. (C) 93*P*

CAMPBELL Norma C. & HESSLOW Germund The secondary spikes of climbing fibre responses recorded from Purkinje cell somata in cat cerebellum. 207

CAMPBELL Norma C. & HESSLOW Germund The secondary spikes of climbing fibre responses recorded from Purkinje cell axons in cat cerebellum. 225

CARMICHAEL D.J.S., FEW J.D., PEART W.S. & UNWIN R.J. Changes in salivary aldosterone (SA) concentration during dietary sodium restriction in two healthy males. (C) 71*P*

CARSWELL F. & MUKHERJEE S. Lanthanum penetration of the trachea in sensitized, challenged rats. (C) 65*P*

CAVIERES J.D. ATP–ADP exchange catalysed by the Ca pump of human red cells: effects of lanthanum and calmodulin. (C) 85*P*

CECCHI G. *see* BAGNI M.A., CECCHI G., COLOMO F. & TESI C. The sarcomere length-tension relation in short length-clamped segments of frog single muscle fibres. (C) 91*P*

CHAD J.E. *see* BEVAN S., CHAD J.E., HOLLOWOOD F.S. & WISE J.C.M. A system to provide control of stimulation and acquisition of ionic currents in cell membranes. (D) 7*P*

CHEETHAM Mary E. *see* BROOKS S., BURRIN Jackie, CHEETHAM Mary E., HALL G., WILLIAMS C. & YEO T. The β-endorphin response to brief maximal exercise in man. (C) 106*P*

CHENG CHEW S.B., HAMAMM W. & LEUNG M.S. Ultrastructure of s.a.I receptors in the skin of the cat following close arterial infusion of neomycin. (D) 4*P*

CHERUBINI E. & LANFUMEY L. A calcium-dependent inward current in voltage-clamped rat caudate neurones *in vitro*. (C) 88*P*

CLARKE R.W., FORD T.W. & WALLBUTTON M.B. The effects of opioids on a spinal reflex in the rabbit: suppression by μ-agonists and enhancement by κ-agonists. (C) 26*P*

CLEMENTS J.D., NELSON P.G. & REDMAN S.J. Intracellular tetraethylammonium ions enhance group Ia excitatory post-synaptic potentials evoked in cat motoneurones. 267

CLOUGH Geraldine & MICHEL C.C. The dimensions of the intercellular clefts in the walls of frog mesenteric capillaries of known hydraulic conductance. (C) 54*P*

CODY F.W.J., GOODWIN Carmen N. & RICHARDSON Helen C. Differential effects upon human short- and long-latency stretch reflexes of ischaemic nerve block. (C) 21*P*

COELHO J.C.U., GOUMA D.J., LI Y.F., MOODY F.G. & SCHLEGEL J.F. Effect of 16,16-dimethyl prostaglandin E_2 on the myoelectric activity of the gastrointestinal tract of the opossum. 421

COLE J.D., PHILIP H.I. & SEDGWICK E.M. Fast frequency (9–11.5 Hz) tremor associated with brain-stem lesions in man. (C) 19*P*

COLOMO F., LOMBARDI V. & PIAZZESI G. The relation between force, stiffness and velocity of lengthening in 'tendon-free' segments of frog single muscle fibres. (C) 90*P*

COLOMO F. *see* BAGNI M.A., CECCHI G., COLOMO F. & TESI C. The sarcomere length-tension relation in short length-clamped segments of frog single muscle fibres. (C) 91*P*

COOPER E. & LAU M. Factors affecting the expression of acetylcholine receptors on rat sensory neurones in culture. 409

COWAN J.M.A., DAY B.L., MARSDEN C. & ROTHWELL J.C. The effect of percutaneous motor cortex stimulation on H reflexes in muscles of the arm and leg in intact man. 333

CRACCO R.Q. *see* AMASSIAN V.E. & CRACCO R.Q. Cerebral cortical responses to contralateral transcranial stimulation in humans. (C) 25*P*

CRAGGS M.D. An adjustable pressure-regulated prosthetic sphincter. (D) 6*P*

CRAGGS M.D. & STEPHENSON J.D. A non-cholinergic urinary bladder mechanism in New World primates. (C) 78*P*

CRAIG Geraldine *see* BRENTON D.P., BREWSTER Fay, CRAIG Geraldine, GARDINER R.M., GARROD P. & HASELER M.E. Transport of L-phenylalanine and related amino acids at the blood–brain barrier in the lamb studied by the single-pass multiple tracer dilution technique. (C) 102*P*

CROSSLEY Richard, READ G.L. & WHITAKER Michael A lower-cost video-enhanced-contrast microscopy system for viewing fine detail in living cells. (D) 13*P*

CROSSLEY Richard, SWANN Karl & WHITAKER Michael The role of calcium in the control of microtubule based pronuclear movement in sea-urchin eggs. (C) 49*P*

CRUNELLI V., LERESCHE Nathalie & PARNAVELAS J.G. The lateral geniculate nucleus of the cat *in vitro*: anatomical and electrophysiological observations. (D) 9*P*

CRUNELLI V., LERESCHE Nathalie & PARNAVELAS J.G. Electrophysiological study of morphologically identified X and Y geniculate cells of the cat *in vitro*. (C) 23*P*

CULL-CANDY S.G., MAGNUS C.J. & MATHIE A. Freshly dissociated rat sympathetic neurones: a preparation suitable for patch-clamp recording. (D) 2*P*

CURTIN N.A. & WOLEDGE R.C. Some aspects of the work and life of A. V. Hill (1886–1977): a hundred years after his birth. (D) (T) 16*P*

DA COSTA D.F. *see* BANNISTER R., DA COSTA D.F., FORSTER S., FOSBRAEY P. & MATHIAS C.J. Cardiovascular effects of lipid and protein meals in autonomic failure. (C) 62*P*

DALE N., OTTERSEN O.-P., ROBERTS A. & STORM-MATHISEN J. Localization of glycine in spinal cord interneurons of *Xenopus* embryos. (C) 87*P*

DAMPNEY R.A.L. & MCALLEN R.M. Functional specificity of ventral medullary pre-sympathetic neurones in the cat. (C) 58*P*

DAVEY N.J., ELLAWAY P.H., HALLIDAY D.M., MURRAY-SMITH D.J. & ROSENBERG J.R. Comparative analysis of measures of association between spike trains. (D) 14*P*

DAVEY N.J., ELLAWAY P.H. & FRIEDLAND C.L. Synchrony of motor unit discharge in humans with Parkinson's disease. (C) 30*P*

DAWES G.S. *see* BAMFORD O.S., DAWES G.S. & WARD R.A. Effects of apomorphine and haloperidol in fetal lambs. 37

DAY B.L. *see* COWAN J.M.A., DAY B.L., MARSDEN C. & ROTHWELL J.C. The effect of percutaneous motor cortex stimulation on H reflexes in muscles of the arm and leg in intact man. 333

DE GROOT G., HOLLANDER A.P., VAN INGEN SCHENAU G.J. & TOUSSAINT H.M. Measurement of efficiency in swimming man. (D) 3*P*

DE HAAN A. *see* BOBBERT M.F., BRAND C., DE HAAN A., HUIJING P.A., VAN INGEN-SCHENAU G.J., RIJNSBURGER W.H. & WOITTIEZ R.D. Series-elasticity of teninous structures of rat EDL muscle. (C) 89*P*

DE HAAN A., HOLLANDER A.P., HUIJING P.A., VAN DOORN J.E., REXWINKEL R., WESTRA H.G. & WOITTIEZ R.D. Decreased economy of isometric exercise in medial gastrocnemius muscles of male Wistar rats during growth. (C) 105*P*

DIFRANCESCO D., FERRONI A., MAZZANTI M. & TROMBA C. Properties of the hyperpolarizing-activated current (i_f) in cells isolated from the rabbit sino-atrial node. 61

DIFRANCESCO D. *see* BROWN H.F., DIFRANCESCO D. & TROMBA C. Recording of single i_f channels in isolated rabbit sino-atrial node cells. (C) 111*P*

DOLPHIN A.C. & SCOTT R.H. A guanine neucleotide analogue blocks a calcium current in rat sensory neurones, and enchances inhibition by baclofen. (C) 81*P*

DONNELLY S. *see* BARNES G.R. & DONNELLY S. The predictability of a visual pursuit stimulus in man is dependent on the highest frequency component of target movement. (C) 46*P*

DOUGLAS R.M. *see* BLISS T.V.P., DOUGLAS R.M., ERRINGTON M.L. & LYNCH M.A. Correlation between long-term potentiation and release of endogenous amino acids from dentate gyrus of anaesthetized rats. 391

DUCHEN M.R. *see* BISCOE T.J., DUCHEN M.R. & PATTERSON L. Voltage-clamp study of acutely dissociated mouse spinal neurones. (D) 10*P*

EDMAN Å., GESTRELIUS S. & GRAMPP W. Transmembrane ion balance in slowly and rapidly adapting lobster stretch receptor neurones. 171

EDMAN K.A.P. Further characterization of the force-velocity relation in frog skeletal muscle. (C) 92*P*

EISNER D.A., VALDEOLMILLOS M. & WRAY Susan The voltage dependence of the Na–K pump in isolated *Xenopus* oocytes: simultaneous measurement of membrane current and ^{22}Na efflux. (C) 84*P*

ELLAWAY P.H. *see* DAVEY N.J., ELLAWAY P.H., HALLIDAY D.M., MURRAY-SMITH D.J. & ROSENBERG J.R. Comparative analysis of measures of association between spike trains. (D) 14*P*

ELLAWAY P.H. *see* DAVEY N.J., ELLAWAY P.H. & FRIEDLAND C.L. Synchrony of motor unit discharge in humans with Parkinson's disease. (C) 30*P*

ELLIOTT A.C. *see* ALLEN D.G., ELLIOTT A.C. & SMITH G.L. Intracellular acidosis on increasing the frequency of stimulation in isolated ferret hearts is partly attributable to increased lactic acid production. (C) 113*P*

ELZINGA G., VAN DER LAARSE W.J. & STIENEN G.J.M. Ca-sensitivity in isolated, skinned fibres of the iliofibularis muscle of *Xenopus laevis*. (C) 96*P*

ELZINGA G. & LÄNNERGREN J. Relationship between stable maintenance heat rate and mechanical performance in single muscle fibres from m. iliofibularis of *Xenopus laevis*. (C) 97*P*

ERLIJ D., SCHOEN H.F. & VAN DRIESSCHE W. Oxytocin and cyclic AMP stimulate four different ionic channels in isolated amphibian epithelial tissues. (C) 33*P*

ERRINGTON M.L. *see* BLISS T.V.P., DOUGLAS R.M., ERRINGTON M.L. & LYNCH M.A. Correlation between long-term potentiation and release of endogenous amino acids from dentate gyrus of anaesthetized rats. 391

EWART W.R. *see* BROOKES S.J.H., EWART W.R. & WINGATE D.L. Intracellular recordings from human myenteric plexus neurones. (C) 27*P*

FAGIUS Jan & SUNDLÖF Göran The diving response in man: effects on sympathetic activity in muscle and skin nerve fascicles. 429

FALK G. & SHIELLS R.A. Differential effects of a spider toxin on glutamate receptors of rod on-bipolar cells and horizontal cells in dogfish retinal slice. (C) 45*P*

FERENCZI M.A. *see* BARSOTTI R.J. & FERENCZI M.A. Laser-flash photolysis of caged-ATP induces rapid contraction and relaxation in isolated cardiac muscle fibres of the guiea-pig. (C) 116*P*

FERRER J.M.R. & PRICE D.J. The organization of cortico-cortical connexions from area 17 to area 18 of the visual cortex of the cat. (C) 24*P*

FERRONI A. *see* DIFRANCESCO D., FERRONI A., MAZZANTI M. & TROMBA C. Properties of the hyperpolarizing-activated current (i_f) in cells isolated from the rabbit sino-atrial node. 61

FEW J.D. *see* CARMICHAEL D.J.S., FEW J.D., PEART W.S. & UNWIN R.J. Changes in salivary aldosterone (SA) concentration during dietary sodium restriction in two healthy males. (C) 71*P*

FITZGERALD Maria Cutaneous afferent properties in the neonatal rat. (C) 47*P*

FLORAS John S. *see* ABBOUD Francois M., AYLWARD Philip E., FLORAS John S. & GUPTA Badri N. Sensitization of aortic and cardiac baroreceptors by arginine vasopressin in mammals. 251

FOOTE J., ROBINSON J. & SCOTT T.M. A comparison of substance P innervation of the mesenteric vascular bed in hypertensive and normotensive rats. (C) 55*P*

FORBES A., GILCHRIST I., GREEN T., HARPER A.A., MACDONALD A.G., MCDIARMID V., PENNEC J.-P., LETTEH-LARTEY N. & WARDLE C. Spontaneous activity in isolated hearts of deep sea fish from 900 and 4000 m depths, 90 and 400 atm pressure: preliminary results of *Challenger* Cruise 6B/85. (C) 115*P*

FORBES C.A., HUGHES D. & MCBURNEY R.N. Excitatory post-synaptic potentials and currents in spinal cord neurones cultured from the embryonic rat. (C) 75*P*

FORD T.W. *see* CLARKE R.W., FORD T.W. & WALLBUTTON M.B. The effects of opioids on a spinal reflex in the rabbit: suppression by μ-agonists and enhancement by κ-agonists. (C) 26*P*

FORSLING Mary L., MACGREGOR G.A. & SAGNELLA G.A. A comparison of the vasopressin response to saline infusion and to change in dietary sodium in the human. (C) 69*P*

FORSTER S. *see* BANNISTER R., DA COSTA D.F., FORSTER S., FOSBRAEY P. & MATHIAS C.J. Cardiovascular effects of lipid and protein meals in autonomic failure. (C) 62*P*

FOSBRAEY P. *see* BANNISTER R., DA COSTA D.F., FORSTER S., FOSBRAEY P. & MATHIAS C.J. Cardiovascular effects of lipid and protein meals in autonomic failure. (C) 62*P*

FOSTER D.H. & SNELGAR Rosemary S. Quasi-independence of opponent-colour processes under chromatic adaptation in man. (C) 42*P*

FOSTER D.H., SCASE M.O. & SNELGAR Rosemary S. Functional isolation of normal human opponent-colour processes at increment threshold. (C) 44*P*

FOURNIER E., MEUNIER Sabine, PIERROT-DESEILLIGNY E. & SHINDO M. Evidence for interneuronally mediated Ia excitatory effects to human quadriceps motoneurones. 143

FRIEDLAND C.L. *see* DAVEY N.J., ELLAWAY P.H. & FRIEDLAND C.L. Synchrony of motor unit discharge in humans with Parkinson's disease. (C) 30*P*

FRY J.F. *see* BILLING A.E., FRY J.F. & READ G.L. Changes in sensitivity to diazepam during the oestrous cycle in the mouse. (C) 70*P*

FRY J.P. *see* AYAD V.J., FRY J.P., MARTIN I.L. & RICKETS C. Immunochemical evidence for an endogenous benzodiazepine receptor ligand in the brain of the mouse. (C) 32*P*

FUJII Koji, ISHIMATSU Toyohiro & KURIYAMA Hirosi Mechanism of vasodilation induced by α-human atrial natriuretic polypeptide in rabbit and guinea-pig renal arteries. 315

FULTON Barbara P. Postnatal changes in active membrane properties of rat dorsal root ganglion neurones. (C) 80*P*

FURBUSH F. *see* BIGLAND-RITCHIE B., FURBUSH F. & WOODS J.J. Neuromuscular transmission and muscle activation in human post-fatigue ischaemia. (C) 76*P*

GARDINER R.M. *see* BRENTON D.P., BREWSTER Fay, CRAIG Geraldine, GARDINER R.M., GARROD P. & HASELER M.E. Transport of L-phenylalanine and related amino acids at the blood–brain barrier in the lamb studied by the single-pass multiple tracer dilution technique. (C) 102*P*

GARDINER S.M. *see* BENNETT T., GARDINER S.M. & WINN M.J. The influence of β-adrenoceptor antagonism on B.P. following administration of prazosin and idazoxan to conscious, Long Evans rats. (C) 60*P*

GARDINER S.M. *see* BENNETT T. & GARDINER S.M. Differential regional vascular effects of pressor agents in conscious Long Evans rats. (C) 61*P*

GARNER S., HICKS A. & MCCOMAS A.J. M-wave potentiation during muscle fatigue and recovery in man and rat. (C) 108*P*

GARNIER D. & ROULET M.J. Mechanical effects of changing pH in the smooth muscle of isolated guinea-pig ductus arteriosus. (C) 121*P*

GARROD P. *see* BRENTON D.P., BREWSTER Fay, CRAIG Geraldine, GARDINER R.M., GARROD P. & HASELER M.E. Transport of L-phenylalanine and related amino acids at the blood–brain barrier in the lamb studied by the single-pass multiple tracer dilution technique. (C) 102*P*

GATTULLO Donatella, LOSANO G., RIFFERO Paola, SOARDO G.P. & VACCA G. Changes in total peripheral resistance following long diastoles in the anaesthetized rabbit. (C) 56*P*

GESTRELIUS S. *see* EDMAN Å., GESTRELIUS S. & GRAMPP W. Transmembrane ion balance in slowly and rapidly adapting lobster stretch receptor neurones. 171

GILCHRIST I. *see* FORBES A., GILCHRIST I., GREEN T., HARPER A.A., MACDONALD A.G., MCDIARMID V., PENNEC J.-P., LETTEH-LARTEY N. & WARDLE C. Spontaneous activity in isolated hearts of deep sea fish from 900 and 4000 m depths, 90 and 400 atm pressure: preliminary results of *Challenger* Cruise 6B/85. (C) 115*P*

GOLDMAN Y.E., REID G.P., SOMLYO A.P., SOMLYO A.V., TRENTHAM D.R. & WALKER J.W. Activation of skinned vascular smooth muscle by photolysis of 'caged inositol trisphosphate' to inositol 1,4,5-trisphosphate ($InsP_3$). (C) 100*P*

GOODWIN Carmen N. *see* CODY F.W.J., GOODWIN Carmen N. & RICHARDSON Helen C. Differential effects upon human short- and long-latency stretch reflexes of ischaemic nerve block. (C) 21*P*

GOUMA D.J. *see* COELHO J.C.U., GOUMA D.J., LI Y.F., MOODY F.G. & SCHLEGEL J.F. Effect of 16,16-dimethyl prostaglandin E_2 on the myoelectric activity of the gastrointestinal tract of the opossum. 421

GRAMPP W. *see* EDMAN Å., GESTRELIUS S. & GRAMPP W. Transmembrane ion balance in slowly and rapidly adapting lobster stretch receptor neurones. 171

GREEFF N.G. *see* BEKKERS J.M., GREEFF N.G. & KEYNES R.D. The conductance and density of sodium channels in the cut-open squid giant axon. 463

GREEN T. *see* FORBES A., GILCHRIST I., GREEN T., HARPER A.A., MACDONALD A.G., MCDIARMID V., PENNEC J.-P., LETTEH-LARTEY N. & WARDLE C. Spontaneous activity in isolated hearts of deep sea fish from 900 and 4000 m depths, 90 and 400 atm pressure: preliminary results of *Challenger* Cruise 6B/85. (C) 115*P*

GREENWOOD J., LANTOS P.L., LUTHERT P.J. & PRATT D.E. Abolition of flow through the vascular bed of an experimental rat glioma following saline perfusion. (C) 18*P*

GREIG C., RUTHERFORD O. & SARGEANT A.J. Effect of pedalling rate on the muscle force required during cycling exercise in man. (C) 109*P*

GUÉRON M., HOERTER Jacqueline & LAUER Claudine Sustained heart function at low ATP and PCr levels: a ^{31}P-NMR study in isolated perfused rat heart. (C) 118*P*

GUNDERSEN C.B., MILEDI R. & PARKER I. Voltage dependence of human brain glycine receptor-channels in *Xenopus* oocytes. (C) 40*P*

GUPTA Badri N. *see* ABBOUD Francois M., AYLWARD Philip E., FLORAS John S. & GUPTA Badri N. Sensitization of aortic and cardiac baroreceptors by arginine vasopressin in mammals. 251

GUZ A., MURPHY K., PELLEY C. & SHEA S.A. The effect of auditory input upon resting ventilation in man. (C) 64*P*

HALLAM T.J. & PEARSON J.D. Elevation of cytoplasmic calcium concentration in human umbilical vein endothelial cells by thrombin. (C) 122*P*

HALLAM T.J., POENIE M. & TSIEN R.Y. Homogeneity of ADP- and thrombin-stimulated rises in $[Ca^{2+}]_i$ in fura 2-loaded human platelet populations revealed by fluorescence ratio image processing. (C) 123*P*

HALL G. *see* BROOKS S., BURRIN Jackie, CHEETHAM Mary E., HALL G., WILLIAMS C. & YEO T. The β-endorphin response to brief maximal exercise in man. (C) 106*P*

HALLIDAY D.M. *see* DAVEY N.J., ELLAWAY P.H., HALLIDAY D.M., MURRAY-SMITH D.J. & ROSENBERG J.R. Comparative analysis of measures of association between spike trains. (D) 14*P*

HAMAMM W. *see* CHENG CHEW S.B., HAMAMM W. & LEUNG M.S. Ultrastructure of s.a.I receptors in the skin of the cat following close arterial infusion of neomycin. (D) 4*P*

HARPER A.A. *see* FORBES A., GILCHRIST I., GREEN T., HARPER A.A., MACDONALD A.G., MCDIARMID V., PENNEC J.-P., LETTEH-LARTEY N. & WARDLE C. Spontaneous activity in isolated hearts of deep sea fish from 900 and 4000 m depths, 90 and 400 atm pressure: preliminary results of *Challenger* Cruise 6B/85. (C) 115*P*

HARRISON N.L. *see* BARKER J.L., HARRISON N.L., LANGE G.D., MAJEWSKA M.D. & OWEN D.G. Voltage-clamp studies of the potentiation of GABA-activated chloride conductance by the steroid anaesthetic alphaxalone and a reduced metabolite of progesterone in cultured rat C.N.S. neurones. (C) 83*P*

HASELER M.E. *see* BRENTON D.P., BREWSTER Fay, CRAIG Geraldine, GARDINER R.M., GARROD P. & HASELER M.E. Transport of L-phenylalanine and related amino acids at the blood–brain barrier in the lamb studied by the single-pass multiple tracer dilution technique. (C) 102*P*

HESSLOW Germund *see* CAMPBELL Norma C. & HESSLOW Germund The secondary spikes of climbing fibre responses recorded from Purkinje cell somata in cat cerebellum. 207

HESSLOW Germund *see* CAMPBELL Norma C. & HESSLOW Germund The secondary spikes of climbing fibre responses recorded from Purkinje cell axons in cat cerebellum. 225

HESS P. *see* AARONSON P.I., BENHAM C.D., BOLTON T.B., HESS P., LANG R.J. & TSIEN R.W. Two types of single-channel and whole-cell calcium or barium currents in single smooth muscle cells of rabbit ear artery and the effects of noradrenaline. (C) 36*P*

HICKS A. *see* GARNER S., HICKS A. & MCCOMAS A.J. M-wave potentiation during muscle fatigue and recovery in man and rat. (C) 108*P*

HIRST G.D.S. & MCLACHLAN Elspeth M. Development of dendritic calcium currents in ganglion cells of the rat lower lumbar sympathetic chain. 349

HOBBACH H.P., HURTH Susanne, MUSCHOLL E. & RACKÉ K. Indirect evidence for frequency-dependent facilitation of intermittent conduction in the neurosecretory nerve terminals of the rat pituitary gland *in vitro*. (C) 73*P*

HOERTER Jacqueline *see* GUÉRON M., HOERTER Jacqueline & LAUER Claudine Sustained heart function at low ATP and PCr levels: a ^{31}P-NMR study in isolated perfused rat heart. (C) 118*P*

HOLLANDER A.P. *see* DE GROOT G., HOLLANDER A.P., VAN INGEN SCHENAU G.J. & TOUSSAINT H.M. Measurement of efficiency in swimming man. (D) 3*P*

HOLLANDER A.P. *see* DE HAAN A., HOLLANDER A.P., HUIJING P.A., VAN DOORN J.E., REXWINKEL R., WESTRA H.G. & WOITTIEZ R.D. Decreased economy of isometric exercise in medial gastrocnemius muscles of male Wistar rats during growth. (C) 105*P*

HOLLINGWORTH S. *see* BAYLOR S.M., HOLLINGWORTH S., HUI C.S. & QUINTA-FERREIRA M.E. Properties of the metallochromic dyes Arsenazo III, Antipyrylazo III and Azo1 in frog skeletal muscle fibres at rest. 89

HOLLOWOOD F.S. *see* BEVAN S., CHAD J.E., HOLLOWOOD F.S. & WISE J.C.M. A system to provide control of stimulation and acquisition of ionic currents in cell membranes. (D) 7*P*

HOLMES O. *see* BASHIR Z.I. & HOLMES O. Enchancement by penicillin of cortical potentials evoked by direct stimulation in rats. (C) 20*P*

HUGHES D. *see* FORBES C.A., HUGHES D. & MCBURNEY R.N. Excitatory post-synaptic potentials and currents in spinal cord neurones cultured from the embryonic rat. (C) 75*P*

HUI C.S. *see* BAYLOR S.M., HOLLINGWORTH S., HUI C.S. & QUINTA-FERREIRA M.E. Properties of the metallochromic dyes Arsenazo III, Antipyrylazo III and Azo1 in frog skeletal muscle fibres at rest. 89

HUIJING P.A. *see* BOBBERT M.F., BRAND C., DE HAAN A., HUIJING P.A., VAN INGEN-SCHENAU G.J., RIJNSBURGER W.H. & WOITTIEZ R.D. Series-elasticity of teninous structures of rat EDL muscle. (C) 89*P*

HUIJING P.A. *see* DE HAAN A., HOLLANDER A.P., HUIJING P.A., VAN DOORN J.E., REXWINKEL R., WESTRA H.G. & WOITTIEZ R.D. Decreased economy of isometric exercise in medial gastrocnemius muscles of male Wistar rats during growth. (C) 105*P*

HUIJING P.A. *see* BOBBERT M.F., BRAND C., HUIJING P.A., VAN INGEN SCHENAU G.J. & WOITTIEZ R.D. Modelling of mechanical output of human muscles during explosive movements. (C) 110*P*

HUMPHREYS G.W. *see* BROMLEY J.M., HUMPHREYS G.W., JAVADNIA A., RIDDOCH M.J. & RUDDOCK K.H. Pattern discrimination in the human subject suffering visual agnosia. (C) 67*P*

HURTH Susanne *see* HOBBACH H.P., HURTH Susanne, MUSCHOLL E. & RACKÉ K. Indirect evidence for frequency-dependent facilitation of intermittent conduction in the neurosecretory nerve terminals of the rat pituitary gland *in vitro*. (C) 73*P*

IGUSA Yukio & MIYAZAKI Shun-Ichi Periodic increase of cytoplasmic free calcium in fertilized hamster eggs measured with calcium-sensitive electrodes. 193

IKEDA Hisako & ROBBINS J. Benzodiazepine action at retinal ganglion cells in the rat and cat. (C) 43*P*

IRVING M. & PECKHAM M. Birefringence as a probe of crossbridge orientation in demembranated muscle fibres of frog and rabbit. (C) 95*P*

ISHIMATSU Toyohiro *see* FUJII Koji, ISHIMATSU Toyohiro & KURIYAMA Hirosi Mechanism of vasodilation induced by α-human atrial natriuretic polypeptide in rabbit and guinea-pig renal arteries. 315

JACOB T.J.C. The electrophysiology of cultured human lens epithelial cells. (C) 39*P*

JAVADNIA A. *see* BROMLEY J.M., HUMPHREYS G.W., JAVADNIA A., RIDDOCH M.J. & RUDDOCK K.H. Pattern discrimination in the human subject suffering visual agnosia. (C) 67*P*

JONES D.A. & LEE J.A. Recruitment of three different leg muscles during cycle ergometer exercise. (C) 101*P*

JONES H.C. & KEEP R.F. Plasma and cerebrospinal fluid potassium concentration in developing rats during chronic maternal hyperkalaemia. (C) 74*P*

JONES P.W. & WAKEFIELD Julie M. Measurement of stroke volume by an impedance method in resting and exercising man without breath-holding. (D) 8*P*

JONES P.W., LEAVER Kathryn D. & WAKEFIELD Julie M. Ventilatory responses to right ventricular pressure changes in anaesthetized dogs. (C) 63*P*

JULU Peter The relation between non-enzymatic glycosylation of proteins and conduction velocity in rats with diabetes mellitus following streptozotocin (STZ) treatment. (C) 72*P*

KAILA K. *see* BOUNTRA C., KAILA K. & VAUGHAN-JONES R.D. A Ca-antagonist inhibits the intracellular acidification observed during stimulation of isolated sheep cardiac Purkinje fibres. (C) 114*P*

KAKEI M. *see* ASHCROFT Frances M., KAKEI M. & KELLY R. Rubidium acts as a permeant blocker of the glucose and ATP-sensitive K-channel in rat pancreatic beta-cells. (C) 38*P*

KANGESU T., LANIGAN C., MOXHAM J., PONTE J. & SADLER C. A device for finger control of ventilation. (D) 11*P*

KAWANO Y., TANOKURA M. & YAMADA K. Time-resolved ^{31}P-NMR studies on isolated skeletal muscles of the bullfrog (*R. catesbeiana*). (C) 99*P*

KEEF K.D. & KREULEN D.L. Venous mechanoreceptor input to neurones in the inferior mesenteric ganglion of the guinea-pig. 49

KEEP R.F. *see* JONES H.C. & KEEP R.F. Plasma and cerebrospinal fluid potassium concentration in developing rats during chronic maternal hyperkalaemia. (C) 74*P*

KEHOE JacSue Synaptic correlates of a Na-dependent current induced by a cyclic nucleotide (cyclic AMP) in *Aplysia* neurones. (C) 34*P*

KELLY R. *see* ASHCROFT Frances M., KAKEI M. & KELLY R. Rubidium acts as a permeant blocker of the glucose and ATP-sensitive K-channel in rat pancreatic beta-cells. (C) 38*P*

KEMPER H.C.G. *see* VAN AALST R., KEMPER H.C.G., STORM-VAN ESSEN L. & VERSCHUUR R. Change of $\dot{V}_{O_2,\,max}$ in boys and girls from 12 to 23 years of age. (C) 107*P*

KEYNES R.D. *see* BEKKERS J.M., GREEFF N.G. & KEYNES R.D. The conductance and density of sodium channels in the cut-open squid giant axon. 463

KITANO T., KOMETANI K., TANOKURA M. & YAMADA K. Effect of lowering intracellular pH on the maintenance heat of isolated frog skeletal muscle. (C) 98*P*

KOMETANI K. *see* KITANO T., KOMETANI K., TANOKURA M. & YAMADA K. Effect of lowering intracellular pH on the maintenance heat of isolated frog skeletal muscle. (C) 98*P*

KREULEN D.L. *see* KEEF K.D. & KREULEN D.L. Venous mechanoreceptor input to neurones in the inferior mesenteric ganglion of the guinea-pig. 49

KURIYAMA Hirosi *see* FUJII Koji, ISHIMATSU Toyohiro & KURIYAMA Hirosi Mechanism of vasodilation induced by α-human atrial natriuretic polypeptide in rabbit and guinea-pig renal arteries. 315

LANFUMEY L. *see* CHERUBINI E. & LANFUMEY L. A calcium-dependent inward current in voltage-clamped rat caudate neurones *in vitro*. (C) 88*P*

LANGE G.D. *see* BARKER J.L., HARRISON N.L., LANGE G.D., MAJEWSKA M.D. & OWEN D.G. Voltage-clamp studies of the potentiation of GABA-activated chloride conductance by the steroid anaesthetic alphaxalone and a reduced metabolite of progesterone in cultured rat C.N.S. neurones. (C) 83*P*

LANG R.J. *see* AARONSON P.I., BENHAM C.D., BOLTON T.B., HESS P., LANG R.J. & TSIEN R.W. Two types of single-channel and whole-cell calcium or barium currents in single smooth muscle cells of rabbit ear artery and the effects of noradrenaline. (C) 36*P*

LANIGAN C. *see* KANGESU T., LANIGAN C., MOXHAM J., PONTE J. & SADLER C. A device for finger control of ventilation. (D) 11*P*

LÄNNERGREN J. *see* ELZINGA G. & LÄNNERGREN J. Relationship between stable maintenance heat rate and mechanical performance in single muscle fibres from m. iliofibularis of *Xenopus laevis*. (C) 97*P*

LANTOS P.L. *see* GREENWOOD J., LANTOS P.L., LUTHERT P.J. & PRATT D.E. Abolition of flow through the vascular bed of an experimental rat glioma following saline perfusion. (C) 18*P*

LARGE W.A. *see* BYRNE N.G. & LARGE W.A. Membrane responses to noradrenaline in dispersed single smooth muscle cells of the guinea-pig pulmonary artery studied with patch-pipette techniques. (C) 37*P*

LAUER Claudine *see* GUÉRON M., HOERTER Jacqueline & LAUER Claudine Sustained heart function at low ATP and PCr levels: a ^{31}P-NMR study in isolated perfused rat heart. (C) 118*P*

LAU M. *see* COOPER E. & LAU M. Factors affecting the expression of acetylcholine receptors on rat sensory neurones in culture. 409

LAURENT C. *see* BUTLER-BROWNE G.S., CAMBON N., LAURENT C., PRULIÈRE G., TOUTANT M., WATKINS S. & WHALEN R.G. Control of myosin isoenzyme transitions by thyroid hormone in the dwarf mouse strain. (C) 93*P*

LAW R.O. The effect of hyperosomotic shock on cellular levels of ninhydrin-positive substances in rat renal papillary slices. (C) 51*P*

LEAVER Kathryn D. *see* JONES P.W., LEAVER Kathryn D. & WAKEFIELD Julie M. Ventilatory responses to right ventricular pressure changes in anaesthetized dogs. (C) 63*P*

LEE G. *see* BROWNLEE A.A., LEE G., MILLS Ivor H., SPINELLI F. & WAKABAYASHI Y. Stimulation of kallikrein excretion by infusion of atrial natriuretic peptide (ANP) in rats: correlation with urine flow, sodium and potassium excretion. (C) 52*P*

LEE J.A. *see* JONES D.A. & LEE J.A. Recruitment of three different leg muscles during cycle ergometer exercise. (C) 101*P*

LEE Wai-Ling *see* ANWYL Roger, LEE Wai-Ling & ROWAN Michael 4-Aminopyridine increases long-term potentiation of excitatory post-synaptic transmission in the rat hippocampal slice. (C) 29*P*

LERESCHE Nathalie *see* CRUNELLI V., LERESCHE Nathalie & PARNAVELAS J.G. The lateral geniculate nucleus of the cat *in vitro*: anatomical and electrophysiological observations. (D) 9*P*

LERESCHE Nathalie *see* CRUNELLI V., LERESCHE Nathalie & PARNAVELAS J.G. Electrophysiological study of morphologically identified X and Y geniculate cells of the cat *in vitro*. (C) 23*P*

LETTEH-LARTEY N. *see* FORBES A., GILCHRIST I., GREEN T., HARPER A.A., MACDONALD A.G., MCDIARMID V., PENNEC J.-P., LETTEH-LARTEY N. & WARDLE C. Spontaneous activity in isolated hearts of deep sea fish from 900 and 4000 m depths, 90 and 400 atm pressure: preliminary results of *Challenger* Cruise 6B/85. (C) 115*P*

LEUNG M.S. *see* CHENG CHEW S.B., HAMAMM W. & LEUNG M.S. Ultrastructure of s.a.I receptors in the skin of the cat following close arterial infusion of neomycin. (D) 4*P*

LI Y.F. *see* COELHO J.C.U., GOUMA D.J., LI Y.F., MOODY F.G. & SCHLEGEL J.F. Effect of 16,16-dimethyl prostaglandin E_2 on the myoelectric activity of the gastrointestinal tract of the opossum. 421

LODGE D. & ZEMAN S. Ketamine protects hippocampal neurones from ischaemic damage in rats. (C) 28*P*

LOMBARDI V. *see* COLOMO F., LOMBARDI V. & PIAZZESI G. The relation between force, stiffness and velocity of lengthening in 'tendon-free' segments of frog single muscle fibres. (C) 90*P*

LOSANO G. *see* GATTULLO Donatella, LOSANO G., RIFFERO Paola, SOARDO G.P. & VACCA G. Changes in total peripheral resistance following long diastoles in the anaesthetized rabbit. (C) 56*P*

LUTHERT P.J. *see* GREENWOOD J., LANTOS P.L., LUTHERT P.J. & PRATT D.E. Abolition of flow through the vascular bed of an experimental rat glioma following saline perfusion. (C) 18*P*

LYNCH M.A. *see* BLISS T.V.P., DOUGLAS R.M., ERRINGTON M.L. & LYNCH M.A. Correlation between long-term potentiation and release of endogenous amino acids from dentate gyrus of anaesthetized rats. 391

MCALLEN R.M. *see* DAMPNEY R.A.L. & MCALLEN R.M. Functional specificity of ventral medullary pre-sympathetic neurones in the cat. (C) 58*P*

MCBURNEY R.N. *see* FORBES C.A., HUGHES D. & MCBURNEY R.N. Excitatory post-synaptic potentials and currents in spinal cord neurones cultured from the embryonic rat. (C) 75*P*

MCCOMAS A.J. *see* GARNER S., HICKS A. & MCCOMAS A.J. M-wave potentiation during muscle fatigue and recovery in man and rat. (C) 108*P*

MCDIARMID V. *see* FORBES A., GILCHRIST I., GREEN T., HARPER A.A., MACDONALD A.G., MCDIARMID V., PENNEC J.-P., LETTEH-LARTEY N. & WARDLE C. Spontaneous activity in isolated hearts of deep sea fish from 900 and 4000 m depths, 90 and 400 atm pressure: preliminary results of *Challenger* Cruise 6B/85. (C) 115*P*

MACDONALD A.G. *see* FORBES A., GILCHRIST I., GREEN T., HARPER A.A., MACDONALD A.G., MCDIARMID V., PENNEC J.-P., LETTEH-LARTEY N. & WARDLE C. Spontaneous activity in isolated hearts of deep sea fish from 900 and 4000 m depths, 90 and 400 atm pressure: preliminary results of *Challenger* Cruise 6B/85. (C) 115*P*

MACDONALD Robert L. & WERZ Mary Ann Dynorphin A decreases voltage-dependent calcium conductance of mouse dorsal root ganglion neurones. 237

MACGREGOR G.A. *see* FORSLING Mary L., MACGREGOR G.A. & SAGNELLA G.A. A comparison of the vasopressin response to saline infusion and to change in dietary sodium in the human. (C) 69*P*

MCLACHLAN Elspeth M. *see* HIRST G.D.S. & MCLACHLAN Elspeth M. Development of dendritic calcium currents in ganglion cells of the rat lower lumbar sympathetic chain. 349

MAGNUS C.J. *see* CULL-CANDY S.G., MAGNUS C.J. & MATHIE A. Freshly dissociated rat sympathetic neurones: a preparation suitable for patch-clamp recording. (D) 2*P*

MAJEWSKA M.D. *see* BARKER J.L., HARRISON N.L., LANGE G.D., MAJEWSKA M.D. & OWEN D.G. Voltage-clamp studies of the potentiation of GABA-activated chloride conductance by the steroid anaesthetic alphaxalone and a reduced metabolite of progesterone in cultured rat C.N.S. neurones. (C) 83*P*

MANOHAR Murli Blood flow to the respiratory and limb muscles and to abdominal organs during maximal exertion in ponies. 25

MARIN-GREZ M. & OBIKA L.F.O. Amiloride inhibits the increased urinary kallikrein excretion induced by furosemide administration in the rat. (C) 53*P*

MARSDEN C. *see* COWAN J.M.A., DAY B.L., MARSDEN C. & ROTHWELL J.C. The effect of percutaneous motor cortex stimulation on H reflexes in muscles of the arm and leg in intact man. 333

MARTIN I.L. *see* AYAD V.J., FRY J.P., MARTIN I.L. & RICKETS C. Immunochemical evidence for an endogenous benzodiazepine receptor ligand in the brain of the mouse. (C) 32*P*

MASON R. Circadian variation in sensitivity of suprachiasmatic and lateral geniculate neurones to 5-hydroxytryptamine in the rat. 1

MATHIAS C.J. *see* BANNISTER R., DA COSTA D.F., FORSTER S., FOSBRAEY P. & MATHIAS C.J. Cardiovascular effects of lipid and protein meals in autonomic failure. (C) 62*P*

MATHIE A. *see* CULL-CANDY S.G., MAGNUS C.J. & MATHIE A. Freshly dissociated rat sympathetic neurones: a preparation suitable for patch-clamp recording. (D) 2*P*

MAZZANTI M. *see* DIFRANCESCO D., FERRONI A., MAZZANTI M. & TROMBA C. Properties of the hyperpolarizing-activated current (i_f) in cells isolated from the rabbit sino-atrial node. 61

MEUNIER Sabine *see* FOURNIER E., MEUNIER Sabine, PIERROT-DESEILLIGNY E. & SHINDO M. Evidence for interneuronally mediated Ia excitatory effects to human quadriceps motoneurones. 143

MICHEL C.C. *see* CLOUGH Geraldine & MICHEL C.C. The dimensions of the intercellular clefts in the walls of frog mesenteric capillaries of known hydraulic conductance. (C) 54*P*

MILEDI R. *see* GUNDERSEN C.B., MILEDI R. & PARKER I. Voltage dependence of human brain glycine receptor-channels in *Xenopus* oocytes. (C) 40*P*

MILLS Ivor H. *see* BROWNLEE A.A., LEE G., MILLS Ivor H., SPINELLI F. & WAKABAYASHI Y. Stimulation of kallikrein excretion by infusion of atrial natriuretic peptide (ANP) in rats: correlation with urine flow, sodium and potassium excretion. (C) 52*P*

MIYAZAKI Shun-Ichi *see* IGUSA Yukio & MIYAZAKI Shun-Ichi Periodic increase of cytoplasmic free calcium in fertilized hamster eggs measured with calcium-sensitive electrodes. 193

MOODY F.G. *see* COELHO J.C.U., GOUMA D.J., LI Y.F., MOODY F.G. & SCHLEGEL J.F. Effect of 16,16-dimethyl prostaglandin E_2 on the myoelectric activity of the gastrointestinal tract of the opossum. 421

Moss Françoise *see* BELIN Vincent & Moss Françoise Paired recording from supraoptic and paraventricular oxytocin cells in suckled rats: recruitment and synchronization. 369

Moss Richard L. Effects on shortening velocity of rabbit skeletal muscle due to variations in the level of thin-filament activation. 487

MOXHAM J. *see* KANGESU T., LANIGAN C., MOXHAM J., PONTE J. & SADLER C. A device for finger control of ventilation. (D) 11*P*

MUGHAL M.Z., ROBINSON N.R. & SIBLEY C.P. Perfusion of the rat placenta *in situ*. (D) 5*P*

MUKHERJEE S. *see* CARSWELL F. & MUKHERJEE S. Lanthanum penetration of the trachea in sensitized, challenged rats. (C) 65*P*

MURPHY K. *see* GUZ A., MURPHY K., PELLEY C. & SHEA S.A. The effect of auditory input upon resting ventilation in man. (C) 64*P*

MURRAY-SMITH D.J. *see* DAVEY N.J., ELLAWAY P.H., HALLIDAY D.M., MURRAY-SMITH D.J. & ROSENBERG J.R. Comparative analysis of measures of association between spike trains. (D) 14*P*

MUSCHOLL E. *see* HOBBACH H.P., HURTH Susanne, MUSCHOLL E. & RACKÉ K. Indirect evidence for frequency-dependent facilitation of intermittent conduction in the neurosecretory nerve terminals of the rat pituitary gland *in vitro*. (C) 73*P*

NELSON P.G. *see* CLEMENTS J.D., NELSON P.G. & REDMAN S.J. Intracellular tetraethylammonium ions enhance group Ia excitatory post-synaptic potentials evoked in cat motoneurones. 267

NEYTON J. & TRAUTMANN A. Acetylcholine modulation of the conductance of intercellular junctions between rat lacrimal cells. 283

NOWAK Linda *see* ASCHER P. & NOWAK Linda Calcium permeability of the channels activated by *N*-methyl-D-aspartate (NMDA) in isolated mouse central neurones. (C) 35*P*

OBIKA L.F.O. *see* MARIN-GREZ M. & OBIKA L.F.O. Amiloride inhibits the increased urinary kallikrein excretion induced by furosemide administration in the rat. (C) 53*P*

ORCHARD C.H. Acidosis exacerbates oscillations of intracellular Ca^{2+} in isolated mammalian ventricular muscle. (C) 112*P*

OTTERSEN O.-P. *see* DALE N., OTTERSEN O.-P., ROBERTS A. & STORM-MATHISEN J. Localization of glycine in spinal cord interneurons of *Xenopus* embryos. (C) 87*P*

OWEN D.G. *see* BARKER J.L. & OWEN D.G. Cadmium- and TTX-insensitive transient inward current in cultured mouse spinal motoneurones. (C) 82*P*

OWEN D.G. *see* BARKER J.L., HARRISON N.L., LANGE G.D., MAJEWSKA M.D. & OWEN D.G. Voltage-clamp studies of the potentiation of GABA-activated chloride conductance by the steroid anaesthetic alphaxalone and a reduced metabolite of progesterone in cultured rat C.N.S. neurones. (C) 83*P*

PARKER I. *see* GUNDERSEN C.B., MILEDI R. & PARKER I. Voltage dependence of human brain glycine receptor-channels in *Xenopus* oocytes. (C) 40*P*

PARNAVELAS J.G. *see* CRUNELLI V., LERESCHE Nathalie & PARNAVELAS J.G. The lateral geniculate nucleus of the cat *in vitro*: anatomical and electrophysiological observations. (D) 9*P*

PARNAVELAS J.G. *see* CRUNELLI V., LERESCHE Nathalie & PARNAVELAS J.G. Electrophysiological study of morphologically identified X and Y geniculate cells of the cat *in vitro*. (C) 23*P*

PATTERSON L. *see* BISCOE T.J., DUCHEN M.R. & PATTERSON L. Voltage-clamp study of acutely dissociated mouse spinal neurones. (D) 10*P*

PEARSON J.D. *see* HALLAM T.J. & PEARSON J.D. Elevation of cytoplasmic calcium concentration in human umbilical vein endothelial cells by thrombin. (C) 122*P*

PEART W.S. *see* CARMICHAEL D.J.S., FEW J.D., PEART W.S. & UNWIN R.J. Changes in salivary aldosterone (SA) concentration during dietary sodium restriction in two healthy males. (C) 71*P*

PECKHAM M. *see* IRVING M. & PECKHAM M. Birefringence as a probe of crossbridge orientation in demembranated muscle fibres of frog and rabbit. (C) 95*P*

PELLEY C. *see* GUZ A., MURPHY K., PELLEY C. & SHEA S.A. The effect of auditory input upon resting ventilation in man. (C) 64*P*

PENNEC J.-P. *see* FORBES A., GILCHRIST I., GREEN T., HARPER A.A., MACDONALD A.G., MCDIARMID V., PENNEC J.-P., LETTEH-LARTEY N. & WARDLE C. Spontaneous activity in isolated hearts of deep sea fish from 900 and 4000 m depths, 90 and 400 atm pressure: preliminary results of *Challenger* Cruise 6B/85. (C) 115*P*

PHILIP H.I. *see* COLE J.D., PHILIP H.I. & SEDGWICK E.M. Fast frequency (9–11.5 Hz) tremor associated with brain-stem lesions in man. (C) 19*P*

PIAZZESI G. *see* COLOMO F., LOMBARDI V. & PIAZZESI G. The relation between force, stiffness and velocity of lengthening in 'tendon-free' segments of frog single muscle fibres. (C) 90*P*

PIERROT-DESEILLIGNY E. *see* FOURNIER E., MEUNIER Sabine, PIERROT-DESEILLIGNY E. & SHINDO M. Evidence for interneuronally mediated Ia excitatory effects to human quadriceps motoneurones. 143

PIPPARD Corinna & RODDIE I.C. The hyperlymphia following arterial occlusion in sheep limbs. (C) 57*P*

POENIE M. *see* HALLAM T.J., POENIE M. & TSIEN R.Y. Homogeneity of ADP- and thrombin-stimulated rises in $[Ca^{2+}]_i$ in fura 2-loaded human platelet populations revealed by fluorescence ratio image processing. (C) 123*P*

PONTE J. *see* KANGESU T., LANIGAN C., MOXHAM J., PONTE J. & SADLER C. A device for finger control of ventilation. (D) 11*P*

PONTE J. & SADLER C.L. Sodium cyanide (CN^-) and hypercapnia inhibit the rabbit carotid body discharge in severe hypoxia. (C) 66*P*

PRATT D.E. *see* GREENWOOD J., LANTOS P.L., LUTHERT P.J. & PRATT D.E. Abolition of flow through the vascular bed of an experimental rat glioma following saline perfusion. (C) 18*P*

PRICE David J. & ZUMBROICH Thomas J. Postnatal development of spatial selectivity in the lateral suprasylvian cortex of the cat. (C) 22*P*

PRICE D.J. *see* FERRER J.M.R. & PRICE D.J. The organization of cortico-cortical connexions from area 17 to area 18 of the visual cortex of the cat. (C) 24*P*

PROCHAZKA A. & TREND P. X-ray imaging of human muscle contraction. (D) 15*P*

PROCHAZKA A. & TREND P. Dissociated long-latency (M2) and voluntary e.m.g. responses to arm perturbations in man. (C) 31*P*

PRULIÈRE G. *see* BUTLER-BROWNE G.S., CAMBON N., LAURENT C., PRULIÈRE G., TOUTANT M., WATKINS S. & WHALEN R.G. Control of myosin isoenzyme transitions by thyroid hormone in the dwarf mouse strain. (C) 93*P*

QAMAR M.I. & READ A.E. The effect of feeding and sham feeding on the superior mesenteric artery blood flow in man. (C) 59*P*

QUAEGEBEUR J.M., SCHOUTEN V.J.A. & TER KEURS H.E.D.J. The relationship between action potential duration and force of contraction in isolated human myocardium. (C) 119*P*

QUAEGEBEUR J.M., SCHOUTEN V.J.A. & TER KEURS H.E.D.J. Mechanical restitution in isolated human myocardium. (C) 120*P*

QUINTA-FERREIRA M.E. *see* BAYLOR S.M., HOLLINGWORTH S., HUI C.S. & QUINTA-FERREIRA M.E. Properties of the metallochromic dyes Arsenazo III, Antipyrylazo III and Azo1 in frog skeletal muscle fibres at rest. 89

RACKÉ K. *see* HOBBACH H.P., HURTH Susanne, MUSCHOLL E. & RACKÉ K. Indirect evidence for frequency-dependent facilitation of intermittent conduction in the neurosecretory nerve terminals of the rat pituitary gland *in vitro*. (C) 73*P*

READ A.E. *see* QAMAR M.I. & READ A.E. The effect of feeding and sham feeding on the superior mesenteric artery blood flow in man. (C) 59*P*

READ G.L. *see* CROSSLEY Richard, READ G.L. & WHITAKER Michael A lower-cost video-enhanced-contrast microscopy system for viewing fine detail in living cells. (D) 13*P*

READ G.L. *see* BILLING A.E., FRY J.F. & READ G.L. Changes in sensitivity to diazepam during the oestrous cycle in the mouse. (C) 70*P*

REDMAN S.J. *see* CLEMENTS J.D., NELSON P.G. & REDMAN S.J. Intracellular tetraethylammonium ions enhance group Ia excitatory post-synaptic potentials evoked in cat motoneurones. 267

REID G.P. *see* GOLDMAN Y.E., REID G.P., SOMLYO A.P., SOMLYO A.V., TRENTHAM D.R. & WALKER J.W. Activation of skinned vascular smooth muscle by photolysis of 'caged inositol trisphosphate' to inositol 1,4,5-trisphosphate ($InsP_3$). (C) 100*P*

REXWINKEL R. *see* DE HAAN A., HOLLANDER A.P., HUIJING P.A., VAN DOORN J.E., REXWINKEL R., WESTRA H.G. & WOITTIEZ R.D. Decreased economy of isometric exercise in medial gastrocnemius muscles of male Wistar rats during growth. (C) 105*P*

RICHARDSON Helen C. *see* CODY F.W.J., GOODWIN Carmen N. & RICHARDSON Helen C. Differential effects upon human short- and long-latency stretch reflexes of ischaemic nerve block. (C) 21*P*

RICKETS C. *see* AYAD V.J., FRY J.P., MARTIN I.L. & RICKETS C. Immunochemical evidence for an endogenous benzodiazepine receptor ligand in the brain of the mouse. (C) 32*P*

RIDDOCH M.J. *see* BROMLEY J.M., HUMPHREYS G.W., JAVADNIA A., RIDDOCH M.J. & RUDDOCK K.H. Pattern discrimination in the human subject suffering visual agnosia. (C) 67*P*

RIFFERO Paola *see* GATTULLO Donatella, LOSANO G., RIFFERO Paola, SOARDO G.P. & VACCA G. Changes in total peripheral resistance following long diastoles in the anaesthetized rabbit. (C) 56*P*

RIJNSBURGER W.H. *see* BOBBERT M.F., BRAND C., DE HAAN A., HUIJING P.A., VAN INGEN-SCHENAU G.J., RIJNSBURGER W.H. & WOITTIEZ R.D. Series-elasticity of teninous structures of rat EDL muscle. (C) 89*P*

RINK T.J. & SAGE S.O. Effects of ionic substitution on human platelet responses to thrombin. (C) 124*P*

ROBBINS J. *see* IKEDA Hisako & ROBBINS J. Benzodiazepine action at retinal ganglion cells in the rat and cat. (C) 43*P*

ROBERTS A. *see* DALE N., OTTERSEN O.-P., ROBERTS A. & STORM-MATHISEN J. Localization of glycine in spinal cord interneurons of *Xenopus* embryos. (C) 87*P*

ROBINSON J. *see* FOOTE J., ROBINSON J. & SCOTT T.M. A comparison of substance P innervation of the mesenteric vascular bed in hypertensive and normotensive rats. (C) 55*P*

ROBINSON N.R. *see* MUGHAL M.Z., ROBINSON N.R. & SIBLEY C.P. Perfusion of the rat placenta *in situ*. (D) 5*P*

RODDIE I.C. *see* PIPPARD Corinna & RODDIE I.C. The hyperlymphia following arterial occlusion in sheep limbs. (C) 57*P*

ROSENBERG J.R. *see* DAVEY N.J., ELLAWAY P.H., HALLIDAY D.M., MURRAY-SMITH D.J. & ROSENBERG J.R. Comparative analysis of measures of association between spike trains. (D) 14*P*

ROTHWELL J.C. *see* COWAN J.M.A., DAY B.L., MARSDEN C. & ROTHWELL J.C. The effect of percutaneous motor cortex stimulation on H reflexes in muscles of the arm and leg in intact man. 333

ROULET M.J. *see* GARNIER D. & ROULET M.J. Mechanical effects of changing pH in the smooth muscle of isolated guinea-pig ductus arteriosus. (C) 121*P*

ROWAN Michael *see* ANWYL Roger, LEE Wai-Ling & ROWAN Michael 4-Aminopyridine increases long-term potentiation of excitatory post-synaptic transmission in the rat hippocampal slice. (C) 29*P*

RUDDOCK K.H. *see* BROMLEY J.M., HUMPHREYS G.W., JAVADNIA A., RIDDOCH M.J. & RUDDOCK K.H. Pattern discrimination in the human subject suffering visual agnosia. (C) 67*P*

RUTHERFORD O. *see* GREIG C., RUTHERFORD O. & SARGEANT A.J. Effect of pedalling rate on the muscle force required during cycling exercise in man. (C) 109*P*

SADLER C. *see* KANGESU T., LANIGAN C., MOXHAM J., PONTE J. & SADLER C. A device for finger control of ventilation. (D) 11*P*

SADLER C.L. *see* PONTE J. & SADLER C.L. Sodium cyanide (CN^-) and hypercapnia inhibit the rabbit carotid body discharge in severe hypoxia. (C) 66*P*

SAGE S.O. *see* RINK T.J. & SAGE S.O. Effects of ionic substitution on human platelet responses to thrombin. (C) 124*P*

SAGNELLA G.A. *see* FORSLING Mary L., MACGREGOR G.A. & SAGNELLA G.A. A comparison of the vasopressin response to saline infusion and to change in dietary sodium in the human. (C) 69*P*

SAKS V., VASSORT G. & VENTURA-CLAPIER R. Reversible MM-creatine kinease binding to Triton-treated isolated rat papillary muscles. (C) 117*P*

SANDERS Kenton M. & SMITH Terence K. Enteric neural regulation of slow waves in circular muscle of the canine proximal colon. 297

SARGEANT A.J. *see* GREIG C., RUTHERFORD O. & SARGEANT A.J. Effect of pedalling rate on the muscle force required during cycling exercise in man. (C) 109*P*

SCASE M.O. *see* FOSTER D.H., SCASE M.O. & SNELGAR Rosemary S. Functional isolation of normal human opponent-colour processes at increment threshold. (C) 44*P*

SCHLEGEL J.F. *see* COELHO J.C.U., GOUMA D.J., LI Y.F., MOODY F.G. & SCHLEGEL J.F. Effect of 16,16-dimethyl prostaglandin E_2 on the myoelectric activity of the gastrointestinal tract of the opossum. 421

SCHOEN H.F. *see* ERLIJ D., SCHOEN H.F. & VAN DRIESSCHE W. Oxytocin and cyclic AMP stimulate four different ionic channels in isolated amphibian epithelial tissues. (C) 33*P*

SCHOUTEN V.J.A. *see* QUAEGEBEUR J.M., SCHOUTEN V.J.A. & TER KEURS H.E.D.J. The relationship between action potential duration and force of contraction in isolated human myocardium. (C) 119*P*

SCHOUTEN V.J.A. *see* QUAEGEBEUR J.M., SCHOUTEN V.J.A. & TER KEURS H.E.D.J. Mechanical restitution in isolated human myocardium. (C) 120*P*

SCOTT R.H. *see* DOLPHIN A.C. & SCOTT R.H. A guanine neucleotide analogue blocks a calcium current in rat sensory neurones, and enchances inhibition by baclofen. (C) 81*P*

SCOTT T.M. *see* FOOTE J., ROBINSON J. & SCOTT T.M. A comparison of substance P innervation of the mesenteric vascular bed in hypertensive and normotensive rats. (C) 55*P*

SEDGWICK E.M. *see* COLE J.D., PHILIP H.I. & SEDGWICK E.M. Fast frequency (9–11.5 Hz) tremor associated with brain-stem lesions in man. (C) 19*P*

SHEA S.A. *see* GUZ A., MURPHY K., PELLEY C. & SHEA S.A. The effect of auditory input upon resting ventilation in man. (C) 64*P*

SHENNAN D.B. *see* BOYD C.A.R. & SHENNAN D.B. Human placental sulphate transport: studies on chorionic trophoblast brush border membrane vesicles. 15

SHIELLS R.A. *see* FALK G. & SHIELLS R.A. Differential effects of a spider toxin on glutamate receptors of rod on-bipolar cells and horizontal cells in dogfish retinal slice. (C) 45*P*

SHIELLS R.A. Could adenosine triphosphate (ATP) be an effective co-factor in neuromuscular transmission in the frog? (C) 79*P*

SHINDO M. *see* FOURNIER E., MEUNIER Sabine, PIERROT-DESEILLIGNY E. & SHINDO M. Evidence for interneuronally mediated Ia excitatory effects to human quadriceps motoneurones. 143

SHORT Susan *see* ABBOTT N. Joan, BLEAKMAN D. & SHORT Susan Glucose transport across the glial blood–brain barrier of the cuttlefish *Sepia*. (C) 104*P*

SHUKLA Hasmeeta *see* BAKER G.F. & SHUKLA Hasmeeta Do cystic fibrotic nasal cells have an abnormal frusemide-sensitive transport pathway? (C) 86*P*

SIBLEY C.P. *see* MUGHAL M.Z., ROBINSON N.R. & SIBLEY C.P. Perfusion of the rat placenta *in situ*. (D) 5*P*

SMITH G.L. *see* ALLEN D.G., ELLIOTT A.C. & SMITH G.L. Intracellular acidosis on increasing the frequency of stimulation in isolated ferret hearts is partly attributable to increased lactic acid production. (C) 113*P*

SMITH Terence K. *see* SANDERS Kenton M. & SMITH Terence K. Enteric neural regulation of slow waves in circular muscle of the canine proximal colon. 297

SNELGAR Rosemary S. *see* FOSTER D.H. & SNELGAR Rosemary S. Quasi-independence of opponent-colour processes under chromatic adaptation in man. (C) 42*P*

SNELGAR Rosemary S. *see* FOSTER D.H., SCASE M.O. & SNELGAR Rosemary S. Functional isolation of normal human opponent-colour processes at increment threshold. (C) 44*P*

SOARDO G.P. *see* GATTULLO Donatella, LOSANO G., RIFFERO Paola, SOARDO G.P. & VACCA G. Changes in total peripheral resistance following long diastoles in the anaesthetized rabbit. (C) 56*P*

SOMLYO A.P. *see* GOLDMAN Y.E., REID G.P., SOMLYO A.P., SOMLYO A.V., TRENTHAM D.R. & WALKER J.W. Activation of skinned vascular smooth muscle by photolysis of 'caged inositol trisphosphate' to inositol 1,4,5-trisphosphate ($InsP_3$). (C) 100*P*

SOMLYO A.V. *see* GOLDMAN Y.E., REID G.P., SOMLYO A.P., SOMLYO A.V., TRENTHAM D.R. & WALKER J.W. Activation of skinned vascular smooth muscle by photolysis of 'caged inositol trisphosphate' to inositol 1,4,5-trisphosphate ($InsP_3$). (C) 100*P*

SPINELLI F. *see* BROWNLEE A.A., LEE G., MILLS Ivor H., SPINELLI F. & WAKABAYASHI Y. Stimulation of kallikrein excretion by infusion of atrial natriuretic peptide (ANP) in rats: correlation with urine flow, sodium and potassium excretion. (C) 52*P*

SPURWAY N.C. Metabolic patterns in the limb and trunk skeletal muscle fibres of vertebrates, shown by quantitative histochemistry. (C) 94*P*

STEPHENSON J.D. *see* CRAGGS M.D. & STEPHENSON J.D. A non-cholinergic urinary bladder mechanism in New World primates. (C) 78*P*

STIENEN G.J.M. *see* ELZINGA G., VAN DER LAARSE W.J. & STIENEN G.J.M. Ca-sensitivity in isolated, skinned fibres of the iliofibularis muscle of *Xenopus laevis*. (C) 96*P*

STORM-MATHISEN J. *see* DALE N., OTTERSEN O.-P., ROBERTS A. & STORM-MATHISEN J. Localization of glycine in spinal cord interneurons of *Xenopus* embryos. (C) 87*P*

STORM-VAN ESSEN L. *see* VAN AALST R., KEMPER H.C.G., STORM-VAN ESSEN L. & VERSCHUUR R. Change of $\dot{V}_{O_2,\,max}$ in boys and girls from 12 to 23 years of age. (C) 107*P*

SUNDLÖF Göran *see* FAGIUS Jan & SUNDLÖF Göran The diving response in man: effects on sympathetic activity in muscle and skin nerve fascicles. 429

SWANN Karl & WHITAKER Michael An inexpensive microprocessor-based system for the measurement of cytoplasmic free calcium concentration in single cells using the calcium-sensitive indicator dye, fura-2. (D) 12*P*

SWANN Karl *see* CROSSLEY Richard, SWANN Karl & WHITAKER Michael The role of calcium in the control of microtubule based pronuclear movement in sea-urchin eggs. (C) 49*P*

SWANN Karl & WHITAKER Michael Neomycin prevents the fertilization calcium transient and exocytosis in sea-urchin eggs. (C) 50*P*

TANOKURA M. *see* KITANO T., KOMETANI K., TANOKURA M. & YAMADA K. Effect of lowering intracellular pH on the maintenance heat of isolated frog skeletal muscle. (C) 98*P*

TANOKURA M. *see* KAWANO Y., TANOKURA M. & YAMADA K. Time-resolved ^{31}P-NMR studies on isolated skeletal muscles of the bullfrog (*R. catesbeiana*). (C) 99*P*

TAYLOR D.E.M. & TUKMACHI E.S.A. Effect of leukotriene D4 (LTD4) on resistance of the canine cerebral and cephalic circulation. (C) 17*P*

TER KEURS H.E.D.J. *see* QUAEGEBEUR J.M., SCHOUTEN V.J.A. & TER KEURS H.E.D.J. The relationship between action potential duration and force of contraction in isolated human myocardium. (C) 119*P*

TER KEURS H.E.D.J. *see* QUAEGEBEUR J.M., SCHOUTEN V.J.A. & TER KEURS H.E.D.J. Mechanical restitution in isolated human myocardium. (C) 120*P*

TESI C. *see* BAGNI M.A., CECCHI G., COLOMO F. & TESI C. The sarcomere length-tension relation in short length-clamped segments of frog single muscle fibres. (C) 91*P*

TOUSSAINT H.M. *see* DE GROOT G., HOLLANDER A.P., VAN INGEN SCHENAU G.J. & TOUSSAINT H.M. Measurement of efficiency in swimming man. (D) 3*P*

TOUTANT M. *see* BUTLER-BROWNE G.S., CAMBON N., LAURENT C., PRULIÈRE G., TOUTANT M., WATKINS S. & WHALEN R.G. Control of myosin isoenzyme transitions by thyroid hormone in the dwarf mouse strain. (C) 93*P*

TRAUTMANN A. *see* NEYTON J. & TRAUTMANN A. Acetylcholine modulation of the conductance of intercellular junctions between rat lacrimal cells. 283

TREND P. *see* PROCHAZKA A. & TREND P. X-ray imaging of human muscle contraction. (D) 15*P*

TREND P. *see* PROCHAZKA A. & TREND P. Dissociated long-latency (M2) and voluntary e.m.g. responses to arm perturbations in man. (C) 31*P*

TRENTHAM D.R. *see* GOLDMAN Y.E., REID G.P., SOMLYO A.P., SOMLYO A.V., TRENTHAM D.R. & WALKER J.W. Activation of skinned vascular smooth muscle by photolysis of 'caged inositol trisphosphate' to inositol 1,4,5-trisphosphate ($InsP_3$). (C) 100*P*

TROMBA C. *see* DIFRANCESCO D., FERRONI A., MAZZANTI M. & TROMBA C. Properties of the hyperpolarizing-activated current (i_f) in cells isolated from the rabbit sino-atrial node. 61

TROMBA C. *see* BROWN H.F., DIFRANCESCO D. & TROMBA C. Recording of single i_f channels in isolated rabbit sino-atrial node cells. (C) 111*P*

TSIEN R.W. *see* AARONSON P.I., BENHAM C.D., BOLTON T.B., HESS P., LANG R.J. & TSIEN R.W. Two types of single-channel and whole-cell calcium or barium currents in single smooth muscle cells of rabbit ear artery and the effects of noradrenaline. (C) 36*P*

TSIEN R.Y. *see* HALLAM T.J., POENIE M. & TSIEN R.Y. Homogeneity of ADP- and thrombin-stimulated rises in $[Ca^{2+}]_i$ in fura 2-loaded human platelet populations revealed by fluorescence ratio image processing. (C) 123*P*

TUKMACHI E.S.A. *see* TAYLOR D.E.M. & TUKMACHI E.S.A. Effect of leukotriene D4 (LTD4) on resistance of the canine cerebral and cephalic circulation. (C) 17*P*

UNWIN R.J. *see* CARMICHAEL D.J.S., FEW J.D., PEART W.S. & UNWIN R.J. Changes in salivary aldosterone (SA) concentration during dietary sodium restriction in two healthy males. (C) 71*P*

VACCA G. *see* GATTULLO Donatella, LOSANO G., RIFFERO Paola, SOARDO G.P. & VACCA G. Changes in total peripheral resistance following long diastoles in the anaesthetized rabbit. (C) 56*P*

VALDEOLMILLOS M. *see* EISNER D.A., VALDEOLMILLOS M. & WRAY Susan The voltage dependence of the Na–K pump in isolated *Xenopus* oocytes: simultaneous measurement of membrane current and ^{22}Na efflux. (C) 84*P*

VAN AALST R., KEMPER H.C.G., STORM-VAN ESSEN L. & VERSCHUUR R. Change of $\dot{V}_{O_2,\,max}$ in boys and girls from 12 to 23 years of age. (C) 107*P*

VAN DER LAARSE W.J. *see* ELZINGA G., VAN DER LAARSE W.J. & STIENEN G.J.M. Ca-sensitivity in isolated, skinned fibres of the iliofibularis muscle of *Xenopus laevis*. (C) 96*P*

VAN DOORN J.E. *see* DE HAAN A., HOLLANDER A.P., HUIJING P.A., VAN DOORN J.E., REXWINKEL R., WESTRA H.G. & WOITTIEZ R.D. Decreased economy of isometric exercise in medial gastrocnemius muscles of male Wistar rats during growth. (C) 105*P*

VAN DRIESSCHE W. *see* ERLIJ D., SCHOEN H.F. & VAN DRIESSCHE W. Oxytocin and cyclic AMP stimulate four different ionic channels in isolated amphibian epithelial tissues. (C) 33*P*

VAN INGEN SCHENAU G.J. *see* DE GROOT G., HOLLANDER A.P., VAN INGEN SCHENAU G.J. & TOUSSAINT H.M. Measurement of efficiency in swimming man. (D) 3*P*

VAN INGEN-SCHENAU G.J. *see* BOBBERT M.F., BRAND C., DE HAAN A., HUIJING P.A., VAN INGEN-SCHENAU G.J., RIJNSBURGER W.H. & WOITTIEZ R.D. Series-elasticity of teninous structures of rat EDL muscle. (C) 89*P*

VAN INGEN SCHENAU G.J. *see* BOBBERT M.F., BRAND C., HUIJING P.A., VAN INGEN SCHENAU G.J. & WOITTIEZ R.D. Modelling of mechanical output of human muscles during explosive movements. (C) 110*P*

VASSORT G. *see* SAKS V., VASSORT G. & VENTURA-CLAPIER R. Reversible MM-creatine kinease binding to Triton-treated isolated rat papillary muscles. (C) 117*P*

VAUGHAN-JONES R.D. *see* BOUNTRA C., KAILA K. & VAUGHAN-JONES R.D. A Ca-antagonist inhibits the intracellular acidification observed during stimulation of isolated sheep cardiac Purkinje fibres. (C) 114*P*

VENTURA-CLAPIER R. *see* SAKS V., VASSORT G. & VENTURA-CLAPIER R. Reversible MM-creatine kinease binding to Triton-treated isolated rat papillary muscles. (C) 117*P*

VERSCHUUR R. *see* VAN AALST R., KEMPER H.C.G., STORM-VAN ESSEN L. & VERSCHUUR R. Change of $\dot{V}_{O_2,\,max}$ in boys and girls from 12 to 23 years of age. (C) 107*P*

WAKABAYASHI Y. *see* BROWNLEE A.A., LEE G., MILLS Ivor H., SPINELLI F. & WAKABAYASHI Y. Stimulation of kallikrein excretion by infusion of atrial natriuretic peptide (ANP) in rats: correlation with urine flow, sodium and potassium excretion. (C) 52*P*

WAKEFIELD Julie M. *see* JONES P.W. & WAKEFIELD Julie M. Measurement of stroke volume by an impedance method in resting and exercising man without breath-holding. (D) 8*P*

WAKEFIELD Julie M. *see* JONES P.W., LEAVER Kathryn D. & WAKEFIELD Julie M. Ventilatory responses to right ventricular pressure changes in anaesthetized dogs. (C) 63*P*

WALKER J.W. *see* GOLDMAN Y.E., REID G.P., SOMLYO A.P., SOMLYO A.V., TRENTHAM D.R. & WALKER J.W. Activation of skinned vascular smooth muscle by photolysis of 'caged inositol trisphosphate' to inositol 1,4,5-trisphosphate ($InsP_3$). (C) 100*P*

WALLBUTTON M.B. *see* CLARKE R.W., FORD T.W. & WALLBUTTON M.B. The effects of opioids on a spinal reflex in the rabbit: suppression by μ-agonists and enhancement by κ-agonists. (C) 26*P*

WARDLE C. *see* FORBES A., GILCHRIST I., GREEN T., HARPER A.A., MACDONALD A.G., MCDIARMID V., PENNEC J.-P., LETTEH-LARTEY N. & WARDLE C. Spontaneous activity in isolated hearts of deep sea fish from 900 and 4000 m depths, 90 and 400 atm pressure: preliminary results of *Challenger* Cruise 6B/85. (C) 115*P*

WARD R.A. *see* BAMFORD O.S., DAWES G.S. & WARD R.A. Effects of apomorphine and haloperidol in fetal lambs. 37

WATKINS S. *see* BUTLER-BROWNE G.S., CAMBON N., LAURENT C., PRULIÈRE G., TOUTANT M., WATKINS S. & WHALEN R.G. Control of myosin isoenzyme transitions by thyroid hormone in the dwarf mouse strain. (C) 93*P*

WERZ Mary Ann *see* MACDONALD Robert L. & WERZ Mary Ann Dynorphin A decreases voltage-dependent calcium conductance of mouse dorsal root ganglion neurones. 237

WESCHE Jarlis The time course and magnitude of blood flow changes in the human quadriceps muscles following isometric contraction. 445

WESTRA H.G. *see* DE HAAN A., HOLLANDER A.P., HUIJING P.A., VAN DOORN J.E., REXWINKEL R., WESTRA H.G. & WOITTIEZ R.D. Decreased economy of isometric exercise in medial gastrocnemius muscles of male Wistar rats during growth. (C) 105*P*

WHALEN R.G. *see* BUTLER-BROWNE G.S., CAMBON N., LAURENT C., PRULIÈRE G., TOUTANT M., WATKINS S. & WHALEN R.G. Control of myosin isoenzyme transitions by thyroid hormone in the dwarf mouse strain. (C) 93*P*

WHITAKER Michael *see* SWANN Karl & WHITAKER Michael An inexpensive microprocessor-based system for the measurement of cytoplasmic free calcium concentration in single cells using the calcium-sensitive indicator dye, fura-2. (D) 12*P*

WHITAKER Michael *see* CROSSLEY Richard, READ G.L. & WHITAKER Michael A lower-cost video-enhanced-contrast microscopy system for viewing fine detail in living cells. (D) 13*P*

WHITAKER Michael *see* CROSSLEY Richard, SWANN Karl & WHITAKER Michael The role of calcium in the control of microtubule based pronuclear movement in sea-urchin eggs. (C) 49*P*

WHITAKER Michael *see* SWANN Karl & WHITAKER Michael Neomycin prevents the fertilization calcium transient and exocytosis in sea-urchin eggs. (C) 50*P*

WILLIAMS C. *see* BROOKS S., BURRIN Jackie, CHEETHAM Mary E., HALL G., WILLIAMS C. & YEO T. The β-endorphin response to brief maximal exercise in man. (C) 106*P*

WINGATE D.L. *see* BROOKES S.J.H., EWART W.R. & WINGATE D.L. Intracellular recordings from human myenteric plexus neurones. (C) 27*P*

WINN M.J. *see* BENNETT T., GARDINER S.M. & WINN M.J. The influence of β-adrenoceptor antagonism on B.P. following administration of prazosin and idazoxan to conscious, Long Evans rats. (C) 60*P*

WISE J.C.M. *see* BEVAN S., CHAD J.E., HOLLOWOOD F.S. & WISE J.C.M. A system to provide control of stimulation and acquisition of ionic currents in cell membranes. (D) 7*P*

WOITTIEZ R.D. *see* BOBBERT M.F., BRAND C., DE HAAN A., HUIJING P.A., VAN INGEN-SCHENAU G.J., RIJNSBURGER W.H. & WOITTIEZ R.D. Series-elasticity of teninous structures of rat EDL muscle. (C) 89*P*

WOITTIEZ R.D. *see* DE HAAN A., HOLLANDER A.P., HUIJING P.A., VAN DOORN J.E., REXWINKEL R., WESTRA H.G. & WOITTIEZ R.D. Decreased economy of isometric exercise in medial gastrocnemius muscles of male Wistar rats during growth. (C) 105*P*

WOITTIEZ R.D. *see* BOBBERT M.F., BRAND C., HUIJING P.A., VAN INGEN SCHENAU G.J. & WOITTIEZ R.D. Modelling of mechanical output of human muscles during explosive movements. (C) 110*P*

WOLEDGE R.C. *see* CURTIN N.A. & WOLEDGE R.C. Some aspects of the work and life of A. V. Hill (1886–1977): a hundred years after his birth. (D) (T) 16*P*

WOODS J.J. *see* BIGLAND-RITCHIE B., FURBUSH F. & WOODS J.J. Neuromuscular transmission and muscle activation in human post-fatigue ischaemia. (C) 76*P*

WOOLF C.J. The terminal arborization patterns of cutaneous low threshold mechanoreceptive afferents innervating the rat hind limb (C) 48*P*

WRAY Susan *see* EISNER D.A., VALDEOLMILLOS M. & WRAY Susan The voltage dependence of the Na–K pump in isolated *Xenopus* oocytes: simultaneous measurement of membrane current and ^{22}Na efflux. (C) 84*P*

YAMADA K. *see* KITANO T., KOMETANI K., TANOKURA M. & YAMADA K. Effect of lowering intracellular pH on the maintenance heat of isolated frog skeletal muscle. (C) 98*P*

YAMADA K. *see* KAWANO Y., TANOKURA M. & YAMADA K. Time-resolved ^{31}P-NMR studies on isolated skeletal muscles of the bullfrog (*R. catesbeiana*). (C) 99*P*

YEO T. *see* BROOKS S., BURRIN Jackie, CHEETHAM Mary E., HALL G., WILLIAMS C. & YEO T. The β-endorphin response to brief maximal exercise in man. (C) 106*P*

ZEMAN S. *see* LODGE D. & ZEMAN S. Ketamine protects hippocampal neurones from ischaemic damage in rats. (C) 28*P*

ZUMBROICH Thomas J. *see* PRICE David J. & ZUMBROICH Thomas J. Postnatal development of spatial selectivity in the lateral suprasylvian cortex of the cat. (C) 22*P*

THE JOURNAL OF PHYSIOLOGY

EDITED FOR

THE PHYSIOLOGICAL SOCIETY

BY

D. G. ALLEN W. ALMERS D. BARTLETT
T. B. BOLTON W. F. BORON M. W. B. BRADBURY
D. A. BROWN E. CARMELIET N. W. DAW
M. DE BURGH DALY G. J. DOCKRAY R. FETTIPLACE
Y. E. GOLDMAN BERNARD KATZ P. A. KIRKWOOD
H. W. KOSTERLITZ T. D. LAMB C. J. LOTE E. NEHER
M. I. M. NOBLE DALE PURVES D. W. RICHTER
N. B. STANDEN ANNE E. WARNER S. WEIDMANN
C. A. R. BOYD T. J. RINK & P. R. STANFIELD
(*Distributing Editors*)
A. V. EDWARDS (*Secretary*) E. S. PETERSEN (*Chairman*)

Volume 377
1986

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, NY 10022, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia



© The Physiological Society 1986

JPHYA 7 377 1–505 (1986)
ISSN 0022 3751

Printed in Great Britain by the
University Press, Cambridge

CONTENTS OF VOLUME 377

August 1986

MASON R. Circadian variation in sensitivity of suprachiasmatic and lateral geniculate neurones to 5-hydroxytryptamine in the rat. 1

BOYD C.A.R. & SHENNAN D.B. Human placental sulphate transport: studies on chorionic trophoblast brush border membrane vesicles. 15

MANOHAR Murli Blood flow to the respiratory and limb muscles and to abdominal organs during maximal exertion in ponies. 25

BAMFORD O.S., DAWES G.S. & WARD R.A. Effects of apomorphine and haloperidol in fetal lambs. 37

KEEF K.D. & KREULEN D.L. Venous mechanoreceptor input to neurones in the inferior mesenteric ganglion of the guinea-pig. 49

DIFRANCESCO D., FERRONI A., MAZZANTI M. & TROMBA C. Properties of the hyperpolarizing-activated current (i_f) in cells isolated from the rabbit sino-atrial node. 61

BAYLOR S.M., HOLLINGWORTH S., HUI C.S. & QUINTA-FERREIRA M.E. Properties of the metallochromic dyes Arsenazo III, Antipyrylazo III and Azo1 in frog skeletal muscle fibres at rest. 89

FOURNIER E., MEUNIER Sabine, PIERROT-DESEILLIGNY E. & SHINDO M. Evidence for interneuronally mediated Ia excitatory effects to human quadriceps motoneurones. 143

EDMAN Å., GESTRELIUS S. & GRAMPP W. Transmembrane ion balance in slowly and rapidly adapting lobster stretch receptor neurones. 171

IGUSA Yukio & MIYAZAKI Shun-Ichi Periodic increase of cytoplasmic free calcium in fertilized hamster eggs measured with calcium-sensitive electrodes. 193

CAMPBELL Norma C. & HESSLOW Germund The secondary spikes of climbing fibre responses recorded from Purkinje cell somata in cat cerebellum. 207

CAMPBELL Norma C. & HESSLOW Germund The secondary spikes of climbing fibre responses recorded from Purkinje cell axons in cat cerebellum. 225

MACDONALD Robert L. & WERZ Mary Ann Dynorphin A decreases voltage-dependent calcium conductance of mouse dorsal root ganglion neurones. 237

ABBOUD Francois M., AYLWARD Philip E., FLORAS John S. & GUPTA Badri N. Sensitization of aortic and cardiac baroreceptors by arginine vasopressin in mammals. 251

CLEMENTS J.D., NELSON P.G. & REDMAN S.J. Intracellular tetraethylammonium ions enhance group Ia excitatory post-synaptic potentials evoked in cat motoneurones. 267

NEYTON J. & TRAUTMANN A. Acetylcholine modulation of the conductance of intercellular junctions between rat lacrimal cells. 283

SANDERS Kenton M. & SMITH Terence K. Enteric neural regulation of slow waves in circular muscle of the canine proximal colon. 297

FUJII Koji, ISHIMATSU Toyohiro & KURIYAMA Hirosi Mechanism of vasodilation induced by α-human atrial natriuretic polypeptide in rabbit and guinea-pig renal arteries. 315

COWAN J.M.A., DAY B.L., MARSDEN C. & ROTHWELL J.C. The effect of percutaneous motor cortex stimulation on H reflexes in muscles of the arm and leg in intact man. 333

HIRST G.D.S. & MCLACHLAN Elspeth M. Development of dendritic calcium currents in ganglion cells of the rat lower lumbar sympathetic chain. 349

BELIN Vincent & MOOS Françoise Paired recording from supraoptic and paraventricular oxytocin cells in suckled rats: recruitment and synchronization. 369

BLISS T.V.P., DOUGLAS R.M., ERRINGTON M.L. & LYNCH M.A. Correlation between long-term potentiation and release of endogenous amino acids from dentate gyrus of anaesthetized rats. 391

COOPER E. & LAU M. Factors affecting the expression of acetylcholine receptors on rat sensory neurones in culture. 409

COELHO J.C.U., GOUMA D.J., LI Y.F., MOODY F.G. & SCHLEGEL J.F. Effect of 16,16-dimethyl prostaglandin E_2 on the myoelectric activity of the gastrointestinal tract of the opossum. 421

FAGIUS Jan & SUNDLÖF Göran The diving response in man: effects on sympathetic activity in muscle and skin nerve fascicles. 429

WESCHE Jarlis The time course and magnitude of blood flow changes in the human quadriceps muscles following isometric contraction. 445

BEKKERS J.M., GREEFF N.G. & KEYNES R.D. The conductance and density of sodium channels in the cut-open squid giant axon. 463

MOSS Richard L. Effects on shortening velocity of rabbit skeletal muscle due to variations in the level of thin-filament activation. 487

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

25–26 *March* 1986

University College London/Middlesex Meeting

DEMONSTRATIONS

Cull-Candy S.G., Magnus C.J. & Mathie A. Freshly dissociated rat sympathetic neurones: a preparation suitable for patch-clamp recording. 2*P*

de Groot G., Hollander A.P., van Ingen Schenau G.J. & Toussaint H.M. Measurement of efficiency in swimming man. 3*P*

Cheng Chew S.B., Hamamm W. & Leung M.S. Ultrastructure of s.a.I receptors in the skin of the cat following close arterial infusion of neomycin. 4*P*

Mughal M.Z., Robinson N.R. & Sibley C.P. Perfusion of the rat placenta *in situ*. 5*P*

Craggs M.D. An adjustable pressure-regulated prosthetic sphincter. 6*P*

Bevan S., Chad J.E., Hollowood F.S. & Wise J.C.M. A system to provide control of stimulation and acquisition of ionic currents in cell membranes. 7*P*

Jones P.W. & Wakefield Julie M. Measurement of stroke volume by an impedance method in resting and exercising man without breath-holding. 8*P*

Crunelli V., Leresche Nathalie & Parnavelas J.G. The lateral geniculate nucleus of the cat *in vitro*: anatomical and electrophysiological observations. 9*P*

Biscoe T.J., Duchen M.R. & Patterson L. Voltage-clamp study of acutely dissociated mouse spinal neurones. 10*P*

Kangesu T., Lanigan C., Moxham J., Ponte J. & Sadler C. A device for finger control of ventilation. 11*P*

Swann Karl & Whitaker Michael An inexpensive microprocessor-based system for the measurement of cytoplasmic free calcium concentration in single cells using the calcium-sensitive indicator dye, fura-2. 12*P*

Crossley Richard, Read G.L. & Whitaker Michael A lower-cost video-enhanced-contrast microscopy system for viewing fine detail in living cells. 13*P*

Davey N.J., Ellaway P.H., Halliday D.M., Murray-Smith D.J. & Rosenberg J.R. Comparative analysis of measures of association between spike trains. 14*P*

Prochazka A. & Trend P. X-ray imaging of human muscle contraction. 15*P*

Curtin N.A. & Woledge R.C. Some aspects of the work and life of A. V. Hill (1886–1977): a hundred years after his birth. 16*P*

Taylor D.E.M. & Tukmachi E.S.A. Effect of leukotriene D4 (LTD4) on resistance of the canine cerebral and cephalic circulation. 17*P*

COMMUNICATIONS

Greenwood J., Lantos P.L., Luthert P.J. & Pratt D.E. Abolition of flow through the vascular bed of an experimental rat glioma following saline perfusion. 18*P*

Cole J.D., Philip H.I. & Sedgwick E.M. Fast frequency (9–11.5 Hz) tremor associated with brain-stem lesions in man. 19*P*

Bashir Z.I. & Holmes O. Enchancement by penicillin of cortical potentials evoked by direct stimulation in rats. 20*P*

Cody F.W.J., Goodwin Carmen N. & Richardson Helen C. Differential effects upon human short- and long-latency stretch reflexes of ischaemic nerve block. 21*P*

Price David J. & Zumbroich Thomas J. Postnatal development of spatial selectivity in the lateral suprasylvian cortex of the cat. 22*P*

Crunelli V., Leresche Nathalie & Parnavelas J.G. Electrophysiological study of morphologically identified X and Y geniculate cells of the cat *in vitro*. 23*P*

Ferrer J.M.R. & Price D.J. The organization of cortico-cortical connexions from area 17 to area 18 of the visual cortex of the cat. 24*P*

Amassian V.E. & Cracco R.Q. Cerebral cortical responses to contralateral transcranial stimulation in humans. 25*P*

Clarke R.W., Ford T.W. & Wallbutton M.B. The effects of opioids on a spinal reflex in the rabbit: suppression by μ-agonists and enhancement by κ-agonists. 26*P*

Brookes S.J.H., Ewart W.R. & Wingate D.L. Intracellular recordings from human myenteric plexus neurones. 27*P*

Lodge D. & Zeman S. Ketamine protects hippocampal neurones from ischaemic damage in rats. 28*P*

Anwyl Roger, Lee Wai-Ling & Rowan Michael 4-Aminopyridine increases long-term potentiation of excitatory post-synaptic transmission in the rat hippocampal slice. 29*P*

Davey N.J., Ellaway P.H. & Friedland C.L. Synchrony of motor unit discharge in humans with Parkinson's disease. 30*P*

Prochazka A. & Trend P. Dissociated long-latency (M2) and voluntary e.m.g. responses to arm perturbations in man. 31*P*

Ayad V.J., Fry J.P., Martin I.L. & Rickets C. Immunochemical evidence for an endogenous benzodiazepine receptor ligand in the brain of the mouse. 32*P*

Erlij D., Schoen H.F. & Van Driessche W. Oxytocin and cyclic AMP stimulate four different ionic channels in isolated amphibian epithelial tissues. 33*P*

Kehoe JacSue Synaptic correlates of a Na-dependent current induced by a cyclic nucleotide (cyclic AMP) in *Aplysia* neurones. 34*P*

Ascher P. & Nowak Linda Calcium permeability of the channels activated by *N*-methyl-D-aspartate (NMDA) in isolated mouse central neurones. 35*P*

Aaronson P.I., Benham C.D., Bolton T.B., Hess P., Lang R.J. & Tsien R.W. Two types of single-channel and whole-cell calcium or barium currents in single smooth muscle cells of rabbit ear artery and the effects of noradrenaline. 36*P*

Byrne N.G. & Large W.A. Membrane responses to noradrenaline in dispersed single smooth muscle cells of the guinea-pig pulmonary artery studied with patch-pipette techniques. 37*P*

Ashcroft Frances M., Kakei M. & Kelly R. Rubidium acts as a permeant blocker of the glucose and ATP-sensitive K-channel in rat pancreatic beta-cells. 38*P*

Jacob T.J.C. The electrophysiology of cultured human lens epithelial cells. 39*P*

Gundersen C.B., Miledi R. & Parker I. Voltage dependence of human brain glycine receptor-channels in *Xenopus* oocytes. 40*P*

Ashmore J.F. & Brownell W.E. Kilohertz movements induced by electrical stimulation in outer hair cells isolated from the guinea-pig cochlea. 41*P*

Foster D.H. & Snelgar Rosemary S. Quasi-independence of opponent-colour processes under chromatic adaptation in man. 42*P*

Ikeda Hisako & Robbins J. Benzodiazepine action at retinal ganglion cells in the rat and cat. 43*P*

Foster D.H., Scase M.O. & Snelgar Rosemary S. Functional isolation of normal human opponent-colour processes at increment threshold. 44*P*

Falk G. & Shiells R.A. Differential effects of a spider toxin on glutamate receptors of rod on-bipolar cells and horizontal cells in dogfish retinal slice. 45*P*

Barnes G.R. & Donnelly S. The predictability of a visual pursuit stimulus in man is dependent on the highest frequency component of target movement. 46*P*

Fitzgerald Maria Cutaneous afferent properties in the neonatal rat. 47*P*

Woolf C.J. The terminal arborization patterns of cutaneous low threshold mechanoreceptive afferents innervating the rat hind limb 48*P*

Crossley Richard, Swann Karl & Whitaker Michael The role of calcium in the control of microtubule based pronuclear movement in sea-urchin eggs. 49*P*

Swann Karl & Whitaker Michael Neomycin prevents the fertilization calcium transient and exocytosis in sea-urchin eggs. 50*P*

Law R.O. The effect of hyperosomotic shock on cellular levels of ninhydrin-positive substances in rat renal papillary slices. 51*P*

Brownlee A.A., Lee G., Mills Ivor H., Spinelli F. & Wakabayashi Y. Stimulation of kallikrein excretion by infusion of atrial natriuretic peptide (ANP) in rats: correlation with urine flow, sodium and potassium excretion. 52*P*

Marin-Grez M. & Obika L.F.O. Amiloride inhibits the increased urinary kallikrein excretion induced by furosemide administration in the rat. 53*P*

Clough Geraldine & Michel C.C. The dimensions of the intercellular clefts in the walls of frog mesenteric capillaries of known hydraulic conductance. 54*P*

Foote J., Robinson J. & Scott T.M. A comparison of substance P innervation of the mesenteric vascular bed in hypertensive and normotensive rats. 55*P*

Gattullo Donatella, Losano G., Riffero Paola, Soardo G.P. & Vacca G. Changes in total peripheral resistance following long diastoles in the anaesthetized rabbit. 56*P*

Pippard Corinna & Roddie I.C. The hyperlymphia following arterial occlusion in sheep limbs. 57*P*

Dampney R.A.L. & McAllen R.M. Functional specificity of ventral medullary pre-sympathetic neurones in the cat. 58*P*

Qamar M.I. & Read A.E. The effect of feeding and sham feeding on the superior mesenteric artery blood flow in man. 59*P*

Bennett T., Gardiner S.M. & Winn M.J. The influence of β-adrenoceptor antagonism on B.P. following administration of prazosin and idazoxan to conscious, Long Evans rats. 60*P*

Bennett T. & Gardiner S.M. Differential regional vascular effects of pressor agents in conscious Long Evans rats. 61*P*

Bannister R., da Costa D.F., Forster S., Fosbraey P. & Mathias C.J. Cardiovascular effects of lipid and protein meals in autonomic failure. 62*P*

Jones P.W., Leaver Kathryn D. & Wakefield Julie M. Ventilatory responses to right ventricular pressure changes in anaesthetized dogs. 63*P*

Guz A., Murphy K., Pelley C. & Shea S.A. The effect of auditory input upon resting ventilation in man. 64*P*

Carswell F. & Mukherjee S. Lanthanum penetration of the trachea in sensitized, challenged rats. 65*P*

Ponte J. & Sadler C.L. Sodium cyanide (CN^-) and hypercapnia inhibit the rabbit carotid body discharge in severe hypoxia. 66*P*

Bromley J.M., Humphreys G.W., Javadnia A., Riddoch M.J. & Ruddock K.H. Pattern discrimination in the human subject suffering visual agnosia. 67*P*

Arendt J. & Broadway J. Phase response of human melatonin rhythms to bright light in Antarctica. 68*P*

Forsling Mary L., MacGregor G.A. & Sagnella G.A. A comparison of the vasopressin response to saline infusion and to change in dietary sodium in the human. 69*P*

Billing A.E., Fry J.F. & Read G.L. Changes in sensitivity to diazepam during the oestrous cycle in the mouse. 70*P*

Carmichael D.J.S., Few J.D., Peart W.S. & Unwin R.J. Changes in salivary aldosterone (SA) concentration during dietary sodium restriction in two healthy males. 71*P*

Julu Peter The relation between non-enzymatic glycosylation of proteins and conduction velocity in rats with diabetes mellitus following streptozotocin (STZ) treatment. 72*P*

Hobbach H.P., Hurth Susanne, Muscholl E. & Racké K. Indirect evidence for frequency-dependent facilitation of intermittent conduction in the neurosecretory nerve terminals of the rat pituitary gland *in vitro*. 73*P*

Jones H.C. & Keep R.F. Plasma and cerebrospinal fluid potassium concentration in developing rats during chronic maternal hyperkalaemia. 74*P*

Forbes C.A., Hughes D. & McBurney R.N. Excitatory post-synaptic potentials and currents in spinal cord neurones cultured from the embryonic rat. 75*P*

Bigland-Ritchie B., Furbush F. & Woods J.J. Neuromuscular transmission and muscle activation in human post-fatigue ischaemia. 76*P*

Allen Francesca Gap junctional communication during neuromuscular junction formation in *Xenopus* cultures. 77*P*

Craggs M.D. & Stephenson J.D. A non-cholinergic urinary bladder mechanism in New World primates. 78*P*

Shiells R.A. Could adenosine triphosphate (ATP) be an effective co-factor in neuromuscular transmission in the frog? 79*P*

Fulton Barbara P. Postnatal changes in active membrane properties of rat dorsal root ganglion neurones. 80*P*

Dolphin A.C. & Scott R.H. A guanine neucleotide analogue blocks a calcium current in rat sensory neurones, and enchances inhibition by baclofen. 81*P*

Barker J.L. & Owen D.G. Cadmium- and TTX-insensitive transient inward current in cultured mouse spinal motoneurones. 82*P*

Barker J.L., Harrison N.L., Lange G.D., Majewska M.D. & Owen D.G. Voltage-clamp studies of the potentiation of GABA-activated chloride conductance by the steroid anaesthetic alphaxalone and a reduced metabolite of progesterone in cultured rat C.N.S. neurones. 83*P*

Eisner D.A., Valdeolmillos M. & Wray Susan The voltage dependence of the Na–K pump in isolated *Xenopus* oocytes: simultaneous measurement of membrane current and ^{22}Na efflux. 84*P*

Cavieres J.D. ATP–ADP exchange catalysed by the Ca pump of human red cells: effects of lanthanum and calmodulin. 85*P*

Baker G.F. & Shukla Hasmeeta Do cystic fibrotic nasal cells have an abnormal frusemide-sensitive transport pathway? 86*P*

Dale N., Ottersen O.-P., Roberts A. & Storm-Mathisen J. Localization of glycine in spinal cord interneurons of *Xenopus* embryos. 87*P*

Cherubini E. & Lanfumey L. A calcium-dependent inward current in voltage-clamped rat caudate neurones *in vitro*. 88*P*

Bobbert M.F., Brand C., de Haan A., Huijing P.A., van Ingen-Schenau G.J., Rijnsburger W.H. & Woittiez R.D. Series-elasticity of teninous structures of rat EDL muscle. 89*P*

Colomo F., Lombardi V. & Piazzesi G. The relation between force, stiffness and velocity of lengthening in 'tendon-free' segments of frog single muscle fibres. 90*P*

Bagni M.A., Cecchi G., Colomo F. & Tesi C. The sarcomere length-tension relation in short length-clamped segments of frog single muscle fibres. 91*P*

Edman K.A.P. Further characterization of the force-velocity relation in frog skeletal muscle. 92*P*

Butler-Browne G.S., Cambon N., Laurent C., Prulière G., Toutant M., Watkins S. & Whalen R.G. Control of myosin isoenzyme transitions by thyroid hormone in the dwarf mouse strain. 93*P*

Spurway N.C. Metabolic patterns in the limb and trunk skeletal muscle fibres of vertebrates, shown by quantitative histochemistry. 94*P*

Irving M. & Peckham M. Birefringence as a probe of crossbridge orientation in demembranated muscle fibres of frog and rabbit. 95*P*

Elzinga G., van der Laarse W.J. & Stienen G.J.M. Ca-sensitivity in isolated, skinned fibres of the iliofibularis muscle of *Xenopus laevis*. 96*P*

Elzinga G. & Lännergren J. Relationship between stable maintenance heat rate and mechanical performance in single muscle fibres from m. iliofibularis of *Xenopus laevis*. 97*P*

Kitano T., Kometani K., Tanokura M. & Yamada K. Effect of lowering intracellular pH on the maintenance heat of isolated frog skeletal muscle. 98*P*

Kawano Y., Tanokura M. & Yamada K. Time-resolved ^{31}P-NMR studies on isolated skeletal muscles of the bullfrog (*R. catesbeiana*). 99*P*

Goldman Y.E., Reid G.P., Somlyo A.P., Somlyo A.V., Trentham D.R. & Walker J.W. Activation of skinned vascular smooth muscle by photolysis of 'caged inositol trisphosphate' to inositol 1,4,5-trisphosphate ($InsP_3$). 100*P*

Jones D.A. & Lee J.A. Recruitment of three different leg muscles during cycle ergometer exercise. 101*P*

Brenton D.P., Brewster Fay, Craig Geraldine, Gardiner R.M., Garrod P. & Haseler M.E. Transport of L-phenylalanine and related amino acids at the blood–brain barrier in the lamb studied by the single-pass multiple tracer dilution technique. 102*P*

Abbott N. Joan & Butt A.M. Permeability of the dogfish glial blood–brain barrier to ions and small molecules. 103*P*

Abbott N. Joan, Bleakman D. & Short Susan Glucose transport across the glial blood–brain barrier of the cuttlefish *Sepia*. 104*P*

de Haan A., Hollander A.P., Huijing P.A., van Doorn J.E., Rexwinkel R., Westra H.G. & Woittiez R.D. Decreased economy of isometric exercise in medial gastrocnemius muscles of male Wistar rats during growth. 105*P*

Brooks S., Burrin Jackie, Cheetham Mary E., Hall G., Williams C. & Yeo T. The β-endorphin response to brief maximal exercise in man. 106*P*

van Aalst R., Kemper H.C.G., Storm-van Essen L. & Verschuur R. Change of $\dot{V}_{O_2, max}$ in boys and girls from 12 to 23 years of age. 107*P*

Garner S., Hicks A. & McComas A.J. M-wave potentiation during muscle fatigue and recovery in man and rat. 108*P*

Greig C., Rutherford O. & Sargeant A.J. Effect of pedalling rate on the muscle force required during cycling exercise in man. 109*P*

Bobbert M.F., Brand C., Huijing P.A., van Ingen Schenau G.J. & Woittiez R.D. Modelling of mechanical output of human muscles during explosive movements. 110*P*

Brown H.F., DiFrancesco D. & Tromba C. Recording of single i_f channels in isolated rabbit sino-atrial node cells. 111*P*

Orchard C.H. Acidosis exacerbates oscillations of intracellular Ca^{2+} in isolated mammalian ventricular muscle. 112*P*

Allen D.G., Elliott A.C. & Smith G.L. Intracellular acidosis on increasing the frequency of stimulation in isolated ferret hearts is partly attributable to increased lactic acid production. 113*P*

Bountra C., Kaila K. & Vaughan-Jones R.D. A Ca-antagonist inhibits the intracellular acidification observed during stimulation of isolated sheep cardiac Purkinje fibres. 114*P*

Forbes A., Gilchrist I., Green T., Harper A.A., Macdonald A.G., McDiarmid V., Pennec J.-P., Letteh-Lartey N. & Wardle C. Spontaneous activity in isolated hearts of deep sea fish from 900 and 4000 m depths, 90 and 400 atm pressure: preliminary results of *Challenger* Cruise 6B/85. 115*P*

Barsotti R.J. & Ferenczi M.A. Laser-flash photolysis of caged-ATP induces rapid contraction and relaxation in isolated cardiac muscle fibres of the guiea-pig. 116*P*

Saks V., Vassort G. & Ventura-Clapier R. Reversible MM-creatine kinease binding to Triton-treated isolated rat papillary muscles. 117*P*

Guéron M., Hoerter Jacqueline & Lauer Claudine Sustained heart function at low ATP and PCr levels: a ^{31}P-NMR study in isolated perfused rat heart. 118*P*

Quaegebeur J.M., Schouten V.J.A. & ter Keurs H.E.D.J. The relationship between action potential duration and force of contraction in isolated human myocardium. 119*P*

Quaegebeur J.M., Schouten V.J.A. & ter Keurs H.E.D.J. Mechanical restitution in isolated human myocardium. 120*P*

Garnier D. & Roulet M.J. Mechanical effects of changing pH in the smooth muscle of isolated guinea-pig ductus arteriosus. 121*P*

Hallam T.J. & Pearson J.D. Elevation of cytoplasmic calcium concentration in human umbilical vein endothelial cells by thrombin. 122*P*

Hallam T.J., Poenie M. & Tsien R.Y. Homogeneity of ADP- and thrombin-stimulated rises in $[Ca^{2+}]_i$ in fura 2-loaded human platelet populations revealed by fluorescence ratio image processing. 123*P*

Rink T.J. & Sage S.O. Effects of ionic substitution on human platelet responses to thrombin. 124*P*

Apatu R.S.K. & Barnes R.J. Glucose and lactate metabolism by fetal, new-born and adult sheep livers *in vivo*. 125*P*